

SHIP TO: WADE PARK WHSE B93036  
V.A. Medical Center  
CHIEF, ACQ & MAT'L MGT  
10701 EAST BOULEVARD  
CLEVELAND, OH 44106  
P.O.# 541-B93036

Line	Qty.	Catalog	
1	1.00	H4918US	LOGIQ E10 Console for USA

The LOGIQ E10 is GE's leadership ultrasound imaging system designed for abdominal, vascular, obstetric, gynecologic, neonatal, pediatric, urological, transcranial, cardiac and small parts applications. The LOGIQ E10 provides the latest GE technology to help enhance diagnostic confidence and workflow efficiency every day in a variety of challenging exams. Innovative features: cSound imageformer for enhanced image quality and XDclear transducer technology capabilities. The LOGIQ E10 includes: B-flow technology to help visualize real-time hemodynamic flow and vessel wall definition; Compare Assistant, a workflow enhancement tool that enables easy side by side comparison of previous ultrasound or other modality images with a live ultrasound image; Scan Assistant procedure automation program that intuitively assists the user with customizable system functions at each step of the study to streamline productivity, enhance consistency and reduce keystrokes; LOGIQVIEW an integrated, extended field of view B-mode imaging with measurement capability; Strain Elastography; and B-Steer+ which can be used for B mode steering image to help improve needle visualization/reflectivity. Also included: CrossXBeam (spatial compounding), SRI HD (Speckle Reduction Imaging in High Definition) with Organ Specific Imaging, and Coded Harmonics. Productivity can be enhanced through many features such as Raw Data for post-processing of images, Auto IMT, Breast and Thyroid Productivity packages, OB Measure Assistant, Automatic Optimization, Virtual Convex, Advanced 3D (w/ multiplanar displays), Color Quantification. In addition, includes LOGIQ E10 Photo and Remote Apps support for use with Android devices that meet minimum requirements. LOGIQ Photo App includes barcode and QR reader and Photo Assist Apps. LOGIQ Remote replicates a subset of user interface controls of compatible LOGIQ ultrasound systems, enabling approved care providers to remotely control the ultrasound system. LOGIQ Photo Assist enables approved care providers to take photos with the App and transfer them to a compatible LOGIQ ultrasound system. These photos can be captured as DICOM images and become part of the ultrasound exam. Photos of barcodes and QR codes are decoded and transferred to the ultrasound system as an alphanumeric string. A complimentary Android O/S tablet is included for access to the LOGIQ Apps (not serviced by GE or covered under the E10 warranty). Advanced ergonomics including 22 wide screen high resolution OLED display (1920 x 1080) with articulating arm, motorized adjustable console, 12.1 inch color high resolution LED touch screen, four active transducer ports and 2 parking ports with patented cable hook. Scanning modes include B-Mode, M-Mode, Color Flow, Pulsed Wave, and Power Doppler. Other system features include: Windows\*\* 10 Enterprise 2016 LTSB 64-bit operating platform, 1GB cine memory, 1TB internal hard drive, image archive, user footrest, integrated on-board black and white printer bay, and user programmable model parameters. Includes comprehensive software annotation, calculations, and worksheets supporting obstetrical, gynecological, vascular and general imaging applications. Includes a DICOM\*\*\* software package providing Verify, Print, Store, Multiframe, Modality Worklist, MPPS (Modality Performed Procedure Step), Storage Commitment, Media Exchange and Enhanced US Volume Storage. Additionally, supports Query/Retrieve and Structured Reporting. Also includes wireless network hardware. Security features including audit logging, LDAP, patient data encryption and advanced user profile customization. Includes one-year warranty and three days of On-site Applications Training. Additional On-site Applications Training days are available for purchase. Training must be completed within six (6) months after Product delivery, otherwise GE Healthcare's obligation to provide the training will expire without refund. Participating in advanced technology training at the GE Healthcare Education Center in Metro Milwaukee can be purchased separately. Customer workflow permitting and abiding by SDMS criteria, sonographer install CE's may be provided during install training. \*Trademark of General Electric Company. \*\*Third party trademarks are the property of their respective owners. \*\*\* DICOM is the registered trademark of the National Electrical Manufacturers Association for its standard publications relating to digital communications of medical information.

Line	Qty.	Catalog	
2	1.00	H44901AJ	L2-9-D XDclear* VNav Inside Linear Array Probe

Linear Array probe with GE's highest performing XDclear\* transducer technology, an innovative combination of advanced materials and acoustic design providing ultra-wide bandwidth and superb image quality. Includes VNAV internal probe sensor for cable free Volume Navigation scanning. Applications include Vascular, Small Parts, Musculoskeletal, Neonatal Cephalic, Pediatric, Abdominal, Obstetrical. \*Trademark of General Electric Company

Line	Qty.	Catalog	
3	1.00	H40452LL	L8-18i-D Linear Array Probe

Wideband Linear Array Probe. Applications vary depending on the ultrasound system and may include Intraoperative & Surgical, Small Parts, MSK, and Vascular. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.

Line	Qty.	Catalog	
4	1.00	H40452LG	ML6-15-D Matrix Linear Array Probe

Wideband Matrix Linear Array Probe. Applications vary depending on the ultrasound system and may include Small Parts, Vascular, Pediatrics, Neonatal, Breast, Thyroid, and Scrotal. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.

Line	Qty.	Catalog	
5	1.00	H40472LW	C1-6VN-D XDclear* Convex Array Probe

Convex Array probe with GE's highest performing XDclear\* transducer technology, an innovative combination of advanced materials and acoustic design providing ultra-wide bandwidth and superb image quality. Includes VNAV internal probe sensor for cable free Volume Navigation scanning. Applications vary depending on the ultrasound system and may include Abdominal, OB/GYN, Urology, and Vascular. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications. \*Trademark of General Electric Company

Line	Qty.	Catalog	
6	1.00	H40472LY	C2-9VN-D XDclear* Convex Array Probe

C2-9VN-D Convex Array probe with GE's highest performing XDclear transducer technology, an innovative combination of advanced materials and acoustic design providing ultra-wide bandwidth and superb image quality. Includes VNAV internal probe sensor for cable free Volume Navigation scanning. Applications vary depending on the ultrasound system and may include Abdominal, OB/GYN, Urology, Vascular, and Pediatrics. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications. \*Trademark of General Electric Company

Line	Qty.	Catalog	
7	1.00	H40442LK	IC5-9-D Microconvex Array Probe

Wideband Microconvex Intercavity Array Probe. Applications vary depending on the ultrasound system and may include OB/GYN and Urology. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.

Line	Qty.	Catalog	
8	1.00	H4918CC	LOGIQ E10 Contrast Imaging

Coded Contrast Imaging is for use in combination with low MI ultrasound contrast agents. Features include Amplitude Modulation and Phase Inversion presets, dual display and contrast timer, Time Intensity Curve and Parametric analysis. See contrast agent manufacturer's indications for use for approved applications. This Package includes an extra (1) day of On-site Applications Training. Additional On-site Applications Training days are available for purchase. Customer workflow permitting and abiding by SDMS criteria, sonographer install CE's may be provided during install training.

Line	Qty.	Catalog	
9	1.00	H4918D	LOGIQ E10 Realtime 4D

The LOGIQ\* E10 Real-time 3D/4D Automated Volume Imaging package combines all the volume ultrasound Imaging capabilities into one convenient bundle. Acquire and construct volumetric images in real time, allowing you to evaluate the data in any plane to see anatomy in different ways. This Volume Ultrasound package includes the following features: Real-time 4D with three rendering modes (i.e., HDLive, Surface, Surface Soft / Light, Transparent, Minimum, Maximum), color in Static 3D, Volume Review, Volume SRI, VCI-Static, Tomographic Ultrasound Imaging (TUI) software. Tomographic Ultrasound Imaging (TUI) enables volume data to be viewed in multiple slices, much like CT and MR, by using multiple simultaneous slices of a volume data set acquired with a volume transducer. Also, includes Advanced STIC (Spatio-Temporal Image Correlation) helps allows the clinical assessment of the fetal heart by displaying a multi-planar view of a full heart cycle in B Mode and in Color. The user has the ability to navigate the heart, re-slice and produce all of the standard planes necessary for comprehensive diagnosis. OmniView and VCI Omniview help improve the contrast resolution and visualization of the rendered anatomy in any image plane, even with an irregularly shaped structure. The VOCAL feature provides both contour detection (manual, semi-automated or automated) and automated volume calculation. This Package includes an extra (1) day of On-site Applications Training. Additional On-site Applications Training days are available for purchase. Customer workflow permitting and abiding by SDMS criteria, sonographer install CE's may be provided during install training.

\*Trademark of General Electric Company

Line	Qty.	Catalog	
10	1.00	H4918PA	LOGIQ E10 Power Assistant

Expands the LOGIQ\* E10 portability profile by including Power Assistant hardware and battery. Power Assistant allows moving the system without a complete system shutdown and boot up power cycle. \*Trademark of General Electric Company.

Line	Qty.	Catalog	
11	1.00	H4918SW	LOGIQ E10 Shear Wave Elastography

Shear Wave elastography offers clinicians an advanced level of diagnostic information for the evaluation of tissue stiffness. With Shear Wave elastography, the LOGIQ\*E10 ultrasound system uses a focused burst of acoustic energy from the transducer to generate Shear Waves to produce quantitative measurements and a 2-D color coded elastogram. Easy Workflow tools include auto measurement sequencing of Shear Wave image frames, ability to display measurements in kPa or meters per sec, user-programmable Shear Wave maps, single or dual view display and summary measurement worksheet. Supported on C1-6-D, C1-6VN-D and L2-9-D, and L2-9VN-D transducers. This Package includes an extra (1) day of On-site Applications Training. Additional On-site Applications Training days are available for purchase. Customer workflow permitting and abiding by SDMS criteria, sonographer install CE's may be provided during install training.

\*Trademark of General Electric Company.

Line	Qty.	Catalog	
12	1.00	H46732LF	USB Foot Switch-3 Buttons

This is a three pedal footswitch with configurable button functionality at application level, providing the user with flexibility during procedures like stress echo requiring additional hand support.

Line	Qty.	Catalog	
13	1.00	H4918BT	LOGIQ E10 Bin - Twin

LOGIQ E10 twin storage bin for additional onboard storage

Line	Qty.	Catalog	
14	1.00	H4915P	LOGIQ E9 Probe Holder Insert

Insert for smaller diameter probes

Line	Qty.	Catalog	
15	1.00	E8363JF	Ultrasound Probe Rack

Line	Qty.	Catalog	
16	1.00	H4918VN	LOGIQ E10 Volume Navigation

Sensor based technology, enabling fusion of real-time ultrasound images to a prior CT, PET/CT, CBCT, MR, or Ultrasound DICOM volume data set. Also provides GPS markers for the ability to track anatomical landmarks from different scan planes and Tru3D capability for calibrated volume measurements. Supports cable free Volume Navigation scanning on the C1-6VN, C2-7VN, C2-9VN, L2-9VN and ML4-16VN transducers. Transducers and probe sensors sold separately. This Package includes an extra (2) days of On-site Applications Training. Additional On-site Applications Training days are available for purchase. Customer workflow permitting and abiding by SDMS criteria, sonographer install CE's may be provided during install training.

Line	Qty.	Catalog	
17	1.00	H4908NS	Freestanding Volume Navigation Stand

Freestanding stand to hold volume navigation transmitter.

Line	Qty.	Catalog	
18	1.00	H4913PS	LOGIQ E9 Volume Navigation External Probe Sensors

Required when using Volume Navigation with the following probes C1-6D (H4913NK), C2-9D (H4913NK), C1-5D (H40432LE), 3CRF (H40452LK), S1-5 (H4908SD), S4-10 (H4908NN), IC5-9D (H4908NF), 9L-D (H4908NB), ML6-15D (H40432LK), L8-18i (H4908NH), M5S (H4908NM). Volume Navigation brackets noted in parenthesis.

Line	Qty.	Catalog	
19	1.00	H4910NT	Volume Navigation Needle Tracking Kit - 16g or smaller

(Civco's eTRAX) Needle Guidance System Starter Kit with non-sterile reusable needle sensor for use with 3D Guidance driveBAY and trakSTAR trackers (1), sterile disposable eTRAX needle, 16GA x 17.7cm (7") and 7.6 tapered to 3.8 x 147cm(3" tapered to 1.5" x 58") CIV-Flex needle cover (5). Requires Volume Navigation option.

Line	Qty.	Catalog	
20	1.00	H4910NY	Volume Navigation Virtual Needle Tracker Kit

(Civco's VirtuTrax) Virtual Needle Tracking Starter Kit Includes a reusable Needle Tracking Sensor and 5 sets of sterile, disposable sheaths. Requires Volume Navigation option.

Line	Qty.	Catalog	
21	1.00	H4913NS	Volume Navigation Needle Tracking storage insert

Storage insert for needle tracking device.

Line	Qty.	Catalog	
22	1.00	H4913NT	Volume Navigation Needle Starter Tracking Kit - 18/20g or smaller

(Civco's eTrax) Non-sterile reusable Needle Tracking Starter Kit-18GA for use with 3D Guidance driveBay Trackers (1) and sterile disposable eTRAX needles - 18GA x 6, 8, 10, 13, 15, 17.7cm (6) with 7.6 tapered to 3.8x147cm (3" tapered to 1.5"x58") CIV-Flex needle cover (5), Ultra-Pro e, 14x91.5cm (5.5"x36") tele-folded CIV-Flex cover (3D) (5)

Line	Qty.	Catalog	
23	1.00	H4913NU	Volume Navigation eTRAX 12 14g st kt

(Civco's eTRAX) Needle Guidance System Starter Kit with non-sterile reusable needle sensor for use with 3D Guidance driveBAY and trakSTAR trackers (1), sterile disposable eTRAX needle, 12GA x 17.7cm (7") and 7.6 tapered to 3.8 x 147cm(3" tapered to 1.5" x 58") CIV-Flex needle cover (5). Requires Volume Navigation option.

Line	Qty.	Catalog	
24	1.00	H4913NV	Volume Navigation eTRAX 14 16g st kt

(Civco's eTRAX) Needle Guidance System Starter Kit with non-sterile reusable needle sensor for use with 3D Guidance driveBAY and trakSTAR trackers (1), sterile disposable eTRAX needle, 14GA x 17.7cm (7") and 7.6 tapered to 3.8 x 147cm(3" tapered to 1.5" x 58") CIV-Flex needle cover (5). Requires Volume Navigation option.

Line	Qty.	Catalog	
25	1.00	H4911NG	Volume Navigation general purpose sensor

General purpose sensor allows tracking of the device, providing clinical confidence in precise instrument placement. Volume Navigation needed. Intended to be used with VirtuTRAX and OmniTRAX devices.

Line	Qty.	Catalog	
26	1.00	H4913AT	Volume Navigation CT Active Tracker kit

Active tracking device to register the intraprocedure CT. Includes general purpose sensor and 5 disposable trackers.

Line	Qty.	Catalog	
27	1.00	H4915MT	Volume Navigation MR Active Tracker Kit

MR-compatible active tracking device to aid registration of MR data sets for image fusion. Includes general purpose sensor and 5 disposable trackers.

Line	Qty.	Catalog	
28	1.00	H4908NF	IC5-9 Volume Navigation Bracket Kit

Non-sterile Volume Navigation IC5-9 tracking bracket with 5 14 x 91.5cm (5.5" x 36"

Line	Qty.	Catalog	
29	1.00	H4908NH	L8-18i Volume Navigation Bracket Kit

Non-sterile Volume Navigation L8-18i tracking bracket with 5 14 x 91.5cm (5.5" x 36") CIV-Flex covers.

Line	Qty.	Catalog	
30	1.00	H40432LK	ML6-15-D Volume Navigation and Biopsy Bracket Kit

Multi-angle, reusable biopsy kit for ML6-15-D transducer with attached sensor brackets for Volume Navigation option.

Line	Qty.	Catalog	
31	1.00	H4908EJ	LOGIQ E9 and E10 Technology Course: Full Service Package

-Product-specific training-Training conducted at GE Healthcare Institute- All inclusive pricing packageThis 2.5-day course is designed to help customers realize the full potential of their technology investment. Instruction includes: Advanced physics and instrumentation, in-depth technology review and image optimization and customization. Highlights include technical and clinical lectures as well as focused hands-on scanning under the supervision of product experts. Course must be redeemed within one year of purchase. Full service package includes: Course tuition, airfare, hotel and breakfast/lunch while in training for one attendee. This course is approved for SDMS credit.

Line	Qty.	Catalog	
32	1.00	R0001DE	Digital Expert Onsite Training – 10 Weeks

Licensed access for users to the online and mobile scheduling platform. Loaned use of the Digital Expert tablet based platform for GE experts to provide training sessions remotely. Includes access to 20 training courses, delivered via the Digital Expert by GE experts. A training course is one instance of a GE expert connecting to the Digital Expert system with a duration of 30 to 60 minutes. There is no limit to number of attendees. 10-week access to all Digital Expert features, begins at product delivery and GE Healthcare's obligation to provide Digital Expert training expires without refund thereafter. Shipping the Digital Expert to and from the site, remote set up, installation and tech support is included during the 10-week duration. Digital Expert storage and maintenance of operable condition is the responsibility of the customer.

Line	Qty.	Catalog	
33	6.00	H4801KT	ONSITE APPS TRNG 1 DAY

One day of On-Site Applications training. Training must be completed within six (6) months after purchase, or if ordered in conjunction with equipment within six (6) months after product delivery, otherwise GE Healthcare's obligation to provide the training will expire without refund.

Line	Qty.	Catalog	
34	1.00	H44901AM	L2-9-D Verza* Biopsy Starter Kit

L2-9-D Verza\* Biopsy Starter Kit includes non-sterile L2-9-D 5 angle multi-angle bracket with Verza\* needle guide and 14 x 91.5cm (5.5" x 36") telescopically-folded CIV-Flex cover. \* Verza is the registered trademark of CIVCO Medical Solutions

Line	Qty.	Catalog	
35	1.00	H40432LJ	ML6-15 Biopsy Kit

Non-sterile ML6-15-D multi-angle bracket (1.5, 2.5, 3.5cm) with Ultra-Pro II\* needle guide and 14 x 91.5cm (5.5" x 36") telescopically-folded CIV-Flex cover. \* Ultra-Pro II is the registered trademark of CIVCO Medical Solutions.

Line	Qty.	Catalog	
36	1.00	H4913BA	C2-9 and C2-9VN Biopsy Starter Kit

Non-sterile C2-9-D multi-angle bracket (3, 6, 8.5cm) with Ultra-Pro II\* needle guide and 14 x 91.5cm (5.5" x 36") telescopically-folded CIV-Flex cover. \* Ultra-Pro II is the registered trademark of CIVCO Medical Solutions.

Line	Qty.	Catalog	
37	1.00	H4917VB	C1-6-D Verza* Biopsy Starter Kit

C1-6-D Verza\* Biopsy Starter Kit includes non-sterile C1-6-D 5 angle multi-angle bracket with Verza\* needle guide and 14 x 91.5cm (5.5" x 36") telescopically-folded CIV-Flex cover. \* Verza is the registered trademark of CIVCO Medical Solutions.

Line	Qty.	Catalog	
38	1.00	H40412LN	E8CS/E8C/E721/IC5-9 Transducer Biopsy Guide (one reuseable)

One stainless steel single angle, reusable biopsy kit for E8CS/E8C/E721/IC5-9 transducers.

## Optional Items

Please initial by net price in terms you wish to purchase

Catalog Number	Qty.	Description
	1.00	<b>C2-7VN-D Wideband Microconvex Array Probe</b>  Wideband Microconvex Array Probe. Applications vary depending on the ultrasound system and may include Abdominal. Includes VNAV internal probe sensor for cable free Volume Navigation scanning Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.