

REQUESTING SERVICE: PHYSICAL MED & REHAB

SHIP TO: WAREHOUSE

V.A. Medical Center

BUILDING #100

6439 GARNERS FERRY ROAD

COLUMBIA, SC 29209

REQUISITION: 544-B92047

<i>Qty</i>	<i>Product Description</i>
1	OEC Elite™ CFD 31 cm Digital Mobile Super C-arm Basic Vascular (Basic Vascular Platform with up to 8 fps Cine)
2	Stille Medstone Elite 4 Movement Mobile C-arm Table, Model 0047-TM4ER
1	Oakworks Spinal Positioning System II

Qty	Description
1	<p>OEC Elite™ CFD 31 cm Digital Mobile Super C-arm Basic Vascular (Basic Vascular Platform with up to 8 fps Cine)</p> <p>OEC ELITE CFD:</p> <p>Basic Vascular Software Includes: Additional imaging profiles: Vascular; real-time digital subtraction (DSA); reference image hold; peak opacification; roadmapping; re-registration; variable landmarking; mask save/recall; 8 fps cine with recording/playback rates of 4 and 8 fps; and frame-by-frame review</p> <p>31 cm CMOS Flat Panel Detector (CFD): High image quality at low dose with a CMOS crystalline structure flat panel detector; tri-mode imaging capabilities at 31 cm, 21 cm, and 15 cm; easily removable grid; and integrated laser aimer</p> <p>Super C-arm: Designed to enhance C-arm movement and positioning capabilities: low-profile X-ray tube for large field of view; radial dial color coded brakes; full length handles along C-arm; manual adjustment of lateral rotation, cephalad/caudal tilt, wig-wag, and horizontal motion; 145° orbital rotation (55° overscan and 90° underscan); 33.0" (84 cm) depth in arc; 41.0" (104 cm) lateral height; 8.0" (20 cm) horizontal travel; 18.0" (46 cm) vertical travel; 34,000 HU/min housing cooling rate; cable pushers; low resistance wheels; and motorized vertical lift</p> <p>OEC ELITE CFD STANDARD PACKAGE INCLUDES:</p>

Part Number	Qty	Description	List Price	Net Price
		<p>Imaging: Live Zoom up to 4x with no change in technique; Digital Pen; squircle image retains 100% shape when rotated; image annotation; measurement tools; SmartMetal; AutoTrak Automatic Brightness Stabilization (ABS); General-Purpose Dynamic Range Management (GDRM); Minimal Difference Spatiotemporal noise filter (MDST); noise filter with on-screen indicator; automatic and manual digital brightness and contrast control; negate mode; save/auto-save feature; swap/auto-swap feature; last image hold; 40,000 image storage; preset imaging profiles: General, General HD, Orthopedic, Spine and 9900; and multi-functional footswitch and handheld controls</p> <p>Image Viewing: Incredible detail displayed with 32" (81 cm) 4K UHD color display with anti-glare and touchscreen capabilities; Viewing versatility with articulating monitor display for optimal viewing with travel of 45" (114 cm) horizontal, 17" (43 cm) vertical, 27" (67 cm) forward, and 5° up/ 5° down tilt</p> <p>Workstation with Intuitive User Interface: SmartConnect start up; flat work surfaces and storage bins; ergonomically designed handles and low friction wheels; simple touchscreen operations; physical and virtual keyboard with image control keypad; multi-purpose image directory; integrated DICOM interface; radiation dose structured report (RDSR) and X-ray dose summary; room-in-use indicator interface; examination list and customized patient information</p> <p>Dose Management: Selectable modes can be used individually or in combination and include continuous fluoroscopy, pulse, low dose, HLF, and digital spot; on-screen PreView Collimator; and Smart Window</p> <p>X-ray Generator and Power Management: 15 kW power from standard wall outlet; patented generator battery buffer design; power monitoring with on-screen display; controlled shutdown process; accidental power loss protection with a 20 second battery back-up power to workstation and C-arm</p> <p>Connectivity: Multiple ports including: ethernet, room interface, video output, video input, USB</p> <p>Security: Password protection, blank screen function, delete all patient information</p>		

<i>Part Number</i>	<i>Qty</i>	<i>Description</i>	<i>List Price</i>	<i>Net Price</i>
		Warranty: One-year warranty		
		<p>OEC Clinical Excellence: Up to 2 days of in-service training by our ARRT certified Clinical Imaging Specialists (CIS) during warranty period; entails up to 8 hours of training per day on system function/operation, provided from 7am to 5pm, Monday through Friday, excluding holidays; post-training skills assessment; radiographers may be eligible for Continuing Education credits approved by the American Society of Radiologic Technologists (ASRT); includes all CIS travel expenses; additional on-line training materials will be provided for future reference</p>		
	2	<p>Stille Medstone Elite 4 Movement Mobile C-arm Table, Model 0047-TM4ER</p> <p>SPECIFICATIONS</p> <ul style="list-style-type: none"> - Carbon fiber table top with 4-way movement including longitudinal (extend-retract), trendelenburg tilt, lateral tilt and elevation. - Table top dimensions: 22" x 82" (56 cm x 208 cm) standard table top with facial cut-out 29-001 (unless a replacement option table top is selected) - High resolution carbon-fiber table top rated at <1.0 Al equivalency rated at 500 lbs. (227 kg) evenly distributed patient capacity. - 300 mm motorized elevating lift travel: 30" (76 cm) minimum height, 42" (106 cm) maximum travel - 15.75" (40 cm) motorized longitudinal travel - Motorized trendelenburg tilting table top, +/- 15 degrees - Motorized lateral tilting table top, +/- 15 degrees - Standard control covers - Heavy duty steel base frame, with four (4) hospital grade independently locking casters - Motorized elevating lift, rated at 500 lbs. (227 kg) lift capacity - Power Supply: 110 VAC or 230 VAC operation, 50/60 Hz input - Warranty: 3 years all parts except Carbon Fiber Table-top, Hand Control Unit, and Table Accessories which fail due to normal use of the product. 1 year warranty on Carbon Fiber Table-top, Hand Control Unit, and Table Accessories. Labor is 2 years. <p>ACCESSORIES INCLUDED</p> <ul style="list-style-type: none"> - Sofcare™ patient table top pad 2" (5 cm) thick - Hand held controller for all table movements <p>WARRANTY</p>		

<i>Part Number</i>	<i>Qty</i>	<i>Description</i>
		Table warranty terms are specified and service provided by the manufacturer during the warranty period as described above. During this period, any warranty claims should be addressed directly with the manufacturer:
		STILLE Surgical, Inc. 943 Parkview Blvd Lombard, IL 60148 United States Phone: +1 (800) 665-1614
	1	Oakworks Spinal Positioning System II Oakworks Spinal Positioning System II