

REQUISITION: 607-B90010

REQUESTING SERVICE: NURSING SERVICE

SHIP TO: WAREHOUSE

V.A. Medical Center

WM S MIDDLETON VET HOSP

ATTN: CHIEF, A&MM SVC

2500 OVERLOOK TERRACE

MADISON, WI 53705

### Configuration - Included Items

Item	Part Number - Description	Qty
1	L22406 - SonoSite S I Ultrasound System	1

The highly maneuverable SonoSite SII can go wherever workflow takes clinicians. Award-winning design, simplified controls and rapid boot-up make the SII the ultimate solution for point-of-care procedure guidance. The SII features a new touchscreen user interface with clinician-driven menu logic that adaptively adjusts to the use case - "what you need, is what you see."

An embedded dual transducer connector also allows quick switching between transducers with two simple taps of the screen, ensuring that the right transducer is always readily available. Our newest patent-pending transducer design elevates transducer performance by increasing penetration and contrast resolution, is available on select transducers.

Standard features of the SII include:

- 2D grayscale with SonoMB Multi Beam Technology
- Auto Gain with SonoADAPT Tissue Optimization technology
- M-Mode
- SonoHD Imaging Technology, technology which significantly reduces speckle noise while enhancing tissue margins, thereby dramatically improving contrast and structural resolution.
- Velocity color flow imaging provides the clinician with the color sensitivity to perform color doppler examinations with all transducers during a clinical procedure.



Item	Part Number - Description	Qty
	<p>Tissue Harmonic Imaging (THI), a capability in which the system transmits at one frequency and receives at a higher harmonic frequency to reduce noise and clutter and improve resolution.</p> <p>Velocity color flow imaging provides the clinician with the color sensitivity to perform color Doppler examinations with all transducers during a clinical procedure.</p> <p>The reliability and durability of the SonoSite Sli are backed by our industry-leading 5-year warranty, giving you piece of mind from knowing you'll receive dedicated support from the global leader in point-of-care ultrasound. Software upgrades to both the main system and transducer databases are accomplished through one of the USB ports on the system.</p>	
2	P07691 - L25X / 13-6 MHZ Transducer Transverse Biopsy Compatible	1
	<p>L25x / 13-6 MHz multi-frequency, broadband, 25 mm linear array transducer. This transducer is biopsy compatible (transverse needle guide available).</p> <p>Note: Please refer to the most recent version of the corresponding system specification sheet or transducer specification sheet for available exams supported by each system.</p>	
3	L21432 - Sli Stand	1
	<p>To further accelerate end-to-end workflow, the Sli comes with a new stand, offering additional capabilities, all while minimizing footprint. The stand features:</p> <ul style="list-style-type: none"> <li>- Larger storage basket for items like medication, syringes, gloves etc.</li> <li>- Elevated transducer holder to prevent transducer cables from hitting the ground</li> <li>- Lockable drawer with a tray located on the back of system, to allow the clinician to bring the image as close to the patient as possible</li> <li>- AC Cord retainer to prevent accidental removal of AC cord</li> <li>- Dedicated gel bottle holder</li> <li>- New casters for increased portability</li> <li>- Auxiliary cord management solution</li> </ul>	
4	P22358 - Sli Ultrasound Service Manual	1
5	P20536 - Sli Ultrasound System User Guide English	1
6	P22358 - Sli Ultrasound Service Manual	1
7	P22048 - Storage Bin Kit	1
8	P22523 - Transducer Port Cover	1
	Used to cover and protect transducer ports that are not in use	
9	5-YR-WARRANTY - 60 MONTHS - STANDARD COVERAGE WARRANTY Please refer to Warranty Schedule. 60 MONTHS - STANDARD COVERAGE WARRANTY	1