

REQUESTING SERVICE: SURGERY - VASCULAR

REQUISITION: 642-B90029

SHIP TO: WAREHOUSE

V.A. Medical Center  
CHIEF, A&MMS (90D)  
UNIV & WOODLAND  
PHILADELPHIA, PA 19104

| <u>Qty</u> | <u>Part<br/>Number</u> | <u>Product</u>  |
|------------|------------------------|---|
| 1          |                        | <b>IntraSight 5</b>   |
|            |                        | <i>IntraSight interventional applications platform. Includes IntraSight CPU, on (1) CPU Base, Operator's Manual, Power Transformer, Cable Pre-Install Kit, Power Supply, Connection Box, Mouse, Keyboard, 19" Monitor Kit, DICOM Network Connection and Windows10 OS.</i> |
| 1          |                        | <b>End User License Agreement</b>   |
|            |                        |   |
| 1          |                        | <b>Imaging (IVUS) License</b>   |
|            |                        | <i>Includes: Digital, Rotational and ChromaFlo, IVUS</i>  |
| 1          |                        | <b>Touch Screen Module</b>  |
|            |                        |   |
| 1          |                        | <b>iFR® Hyperemia Free Lesion Assessment Modality</b>   |
|            |                        |   |
| 1          |                        | <b>FFR® Modality</b>  |
|            |                        |   |
| 1          |                        | <b>Philips Remote Services</b>  |
|            |                        |   |
| 1          |                        | <b>One (1) Year Warranty</b>  |
|            |                        |   |

**Exhibit C**  
**Equipment Specifications**  
**Volcano Equipment**

# Specifications

|                                    |   | IntraSight (for configurations 5 and 7)  | SyncVision (with IntraSight 7)                              |
|------------------------------------|---|--|---|
| <b>Power requirements</b>          | System input  | 100, 120v, 220, 240VAC, 50/60Hz, 1000VA  | 100V-120V, 50/60Hz, 220-240V, 50/60Hz, 600 VA               |
|                                    | Workstation   | 100 – 240V, 50/60Hz, 825VA   | 100-240V, 50/60Hz, 250 VA                                   |
|                                    | Monitor   | 100V – 240V 50/60Hz, 39W   | 100-240V, 50/60Hz, 93 VA                                    |
| <b>Dimensions</b>                  | Workstation   | H= 17", W= 10", D= 16.5", 46 lbs.  | H= 16.5", W= 6.75", D= 21.25", 35 lbs.                      |
|                                    | Touch screen module (TSM) with articulating tableside mount | H= 7", W= 11.9", D= 9", 8 lbs.<br>(Articulating arm extends to a max depth of 16.5" and/or 20" above the top of the bedrail)         | n/a   |
|                                    | Monitor   | H= 15"-19" (adjustable stand), W= 15.8", D= 9.7", 13 lbs.  | H= 15"-19" (adjustable stand), W= 15.8", D= 9.7", 13 lbs.   |
|                                    | Joystick  | n/a  | H= 1.5", W= 4.2", D= 3", 2 lbs.                             |
|                                    | Connection box  | H= 9.85", W=2.95", D= 7.75", 6 lbs.  | n/a   |
| <b>Processing and data storage</b> | Processor   | 1 CPU with 2.3GHz (maximum turbo frequency of 3.2GHz). 12 core total. 2400 MHz BUS.  | 1 GPU P5000<br>1 CPU Intel E5-1600/E5-2600 Series Processor |
|                                    | Memory  | 32GB SD RAM  | 16GB SD RAM   |
|                                    | Hard drive capacity   | 1TB SSD SATA   | 120GB SSD SATA + 480GB SSD SATA                             |
|                                    | Digital archiving capacity                                  | Local, DVD, DICOM Network (includes Worklist management, DICOM Store)  | n/a   |
| <b>Compatible disposables</b>      | Catheters   | Eagle Eye Platinum<br>Eagle Eye Platinum ST<br>PV Visions .014P<br>PV Visions .018<br>PV Visions .035<br>Refinity ST<br>Pioneer Plus | Eagle Eye Platinum<br>Eagle Eye Platinum ST                 |
|                                    | Pressure wires  | Verrata Plus   | Verrata Plus  |