

REQUISITION: 648-B98033

REQUESTING SERVICE: OPERATIVE CARE
SHIP TO: VAMC PORTLAND
V.A. Medical Center
GENERAL WAREHOUSE
3710 SW VETS. HOSP. RD.
PORTLAND, OR 97239

Configuration - Included Items

Item	Part Number - Description	Qty
1	<p>L21822 - SonoSite Edge II Ultrasound System</p> <p>The SonoSite EDGE II is a high-resolution, all-digital, 9.0-pound (4.1 kg) ultrasound system with a 12.1 in. LED full-bleed glass display. The Edge II boosts improvements in cardiac and abdominal image quality through DirectClear Technology and a new wide-angle display, as well as alignment with the SonoSite pillars. The Edge II features Armored Cable Technology on select transducers, a keypad sealed to the Edge for protection against infection, and persistent knobs for more precise actions. As with our past products, the Edge II is designed with SonoSite's proprietary Chip Fusion Technology that integrates digital signal processing and multiple system functions into a custom application-specific integrated circuit (ASIC) microchip.</p> <p>The purchase of the SonoSite EDGE II system includes the following software technologies:</p> <ul style="list-style-type: none">- 2D grayscale with SonoMB Multi Beam Technology- Auto Gain with SonoADAPT Tissue Optimization Technology- M-Mode- Application specific calculation packages <p>SonoSite EDGE II's reliability and durability are backed by a five-year standard warranty, which is included in the price of the system. Software upgrades to the main system and transducer databases are accomplished through one of two USB ports on the system. Also includes battery, ultrasound gel, and user guide on a CD (Printed user guides also available as a purchasable option).</p> <p>Included with the purchase of your SonoSite EDGE II, you will receive four consecutive hours of installation provided by a SonoSite Clinical Specialist. The installation includes an overview of the product and accessories purchased, training on the features, functions, and user interface, and system care/maintenance. Available for US locations only. Additional clinical installation support can be purchased separately as needed.</p>	1
2	<p>P21608 - ACO Technology</p> <p>Automated Cardiac Output enables the clinician to rapidly assess quantitative cardiac output information and eliminate the need to manually</p>	1

Item	Part Number - Description	Qty
	navigate through complex measurement packages. Note: PW and/or CW is required when purchasing this option.	
	Serial No:Automated Cardiac Output (AGO)	
3	<p>P21604 - Advanced OB/GYN Calculations</p> <p>Advanced OB/GYN Calculations package for obstetric and gynecologic ultrasound imaging applications. This feature set enables additional OB/GYN calculations available on select transducers* with the OB exam type.</p> <p>Advanced OB/GYN Calculations include:</p> <ul style="list-style-type: none"> -OB Twins Package -OB Growth Analysis with Twin support (Previous Exam Data, Report Graphs, Growth Tables, Growth Table Author Selection (Preferences) for Individual Growth Parameters) -OB Custom Measurements (Supports 5 custom Distance or Area Measurements for Calculations List, Supports OB -Customer Growth and Gestational Age Table definition, Import/Export support) -OB User Defined Tables (Gestational Age Tables (supports 2 additional authors for System Tables and 5 Custom Measurement tables), Growth Analysis Tables (supports 2 additional authors for System Tables), Import/Export support) -OB Checklist including BPP -OB Doppler Calculations support for Umbilical Cord and MCA (Umbilical Cord (S/D, PI, RI), Middle Cerebral Artery (S/D, PI, RI)) <p>Advanced OB/GYN Calculations are available on the C35x, rC60xi, rP19x, and ICTx Transducers with the OB Exam Type.</p> <p>Serial No:Full suite of OBGYN biometric calculations, including Twins package for multiples, doppler calculations and extended prenatal growth charts.</p>	1
4	<p>P21609 - Steep Needle Profiling Technology (SNP)</p> <p>Proprietary software that enhances the system's ability to aid needle visualization. Ultrasound waves are periodically directed towards the needle to enhance visualization, without compromising image quality of the 2D image.</p> <p>Serial No:Steep angle needle enhancement with SonoSite's multi beam technology. Illuminates an in-plane needle to increase confidence in any size needle position. No need for etched or echo tipped needles.</p>	1
5	<p>P21593 - Color Application Package, SonoSite EDGE II</p> <p>This package provides the following capabilities for the transducers that support these features:</p> <ul style="list-style-type: none"> - Tissue Harmonic Imaging (THI): Capability in which the system transmits at one frequency and receives at a higher harmonic frequency to reduce noise and clutter and improve resolution. - SonoHD Imaging Technology: Significantly reduces speckle noise while enhancing tissue margins, thereby dramatically improving contrast and structural resolution. - Velocity color flow imaging provides the clinician with the color sensitivity to perform color Doppler examinations with all transducers during a clinical procedure. - PW Doppler is available on all transducers. - CW Doppler is a quantitative assessment of blood flow with Duplex imaging for higher flow velocities. <p>Serial No:complete performance scanning applications sw bundle.</p>	1

Item	Part Number - Description	Qty
6	<p>P21600 - DICOM (Print, Store, Worklist, MPPS, Storage Commit) The DICOM package includes the capability to interface with your PACS network with the complete offering of DICOM capabilities: print, store, worklist, storage commit, and modality perform procedure step.</p> <p>Serial No:digital communication capability for PACS ,QPath, Synchronicity and other automated electronic archiving destinations, including department workstations.</p>	1
7	<p>P21606 - Credentialing Worksheets Allows up to four separate worksheets to be filled out by the resident physician. Available worksheets are: AAA, FAST, Gallbladder, and Kidney. When used with SiteLink 4.0.0, this allows you to generate PDF or HTML files with linked images and completed data fields from each worksheet.</p> <p>Serial No:Permits calculations using any exam presets.</p>	1
8	<p>P19626 - L38xi / 10-5 MHz Transducer - Armored Cable Biopsy Compatible L38xi / 10-5 MHz multi-frequency, broadband, 38 mm linear array transducer. This transducer is biopsy compatible.</p> <p>Armored Cable Technology provides further protection against trampling, crushing and twisting using a stainless-steel jacket inside the cable.</p> <p>Serial No:Direct Clear Technology Standard High Frequency Linear.</p>	1
9	<p>P21636 - rC60xi / 5-2 MHz transducer - Armored Cable Biopsy Compatible rC60xi / 5-2 MHz multi-frequency, broadband, 60 mm curved array transducer featuring DirectClear technology, (patent-pending transducer design that increases resolution and penetration without compromising SonoSite's reknowned durability).</p> <p>Armored Cable Technology provides further protection against trampling, crushing and twisting using a stainless-steel jacket inside the cable.</p> <p>Note: Please refer to the most recent version of the corresponding system specification sheet or transducer specification sheet for available exams supported by each system.</p> <p>Serial No:Direct Clear Technology Curvilinear Transducer.</p>	1
10	<p>P22950 - L25X / 13-6 MHz Transducer - Armored Cable Biopsy Compatible L25x / 13-6 MHz multi-frequency, broadband, 25 mm linear array transducer. This transducer is biopsy compatible (transverse needle guide available).</p> <p>Armored Cable Technology provides further protection against trampling, crushing and twisting using a stainless-steel jacket inside the cable.</p> <p>Note: Please refer to the most recent version of the corresponding system specification sheet or transducer specification sheet for available exams supported by each system.</p> <p>Serial No:Direct Clear Technology Narrow High Frequency Linear.</p>	1
11	<p>L12830 - Powerpark System PowerPark docking station for the Universal stand. This stand module and docking station allows the ultrasound systems to charge without plugging in the power cord.</p>	1

Item	Part Number - Description	Qty
	Serial No:Cordless floor charging station keeps SonoSite batteries charging when idle. Never have to drag around a dirty cord anylonger. Large, bright LED Light shows you the system is properly docked. Backup powercord included to support extended scanning.	
12	L15800 - EDGE Stand Ergonomic stand and mobile work platform for the EDGE, SonoSite EDGE II system and transducers. Complete with power supply, mini-dock and accessory basket. OEM peripherals include: BW or color printer. Unable to use together	1
	Serial No:New ergonomic rollstand with large storage bin.	
13	P16535 - Triple Transducer Connect (TIC) w/ quick disconnect Three-transducer module for mobile docking system that allows connection of up to three transducers simultaneously while the system is docked in the Stand	1
	Serial No:This multi-transducer portal permits push button selectivity of each transducer. Prevents misplaced transducers.Reduces "wear & tear" on connectors.	
14	P20516 - SonoSite EDGE II Ultrasound System User Guide English	1
	Serial No:2 of 2 Operators Guide. The initial Operators Guide is included in the Ship Kit. Line item #1	
15	P21828 - SonoSite EDGE II Ultrasound System Service Manual	1
	Serial No:1 of 2	
16	P21828 - SonoSite EDGE II Ultrasound System Service Manual	1
	Serial No:2 of 2	
17	5-YR-WARRANTY - 60 MONTHS- STANDARD COVERAGE WARRANTY 60 MONTHS - STANDARD COVERAGE WARRANTY	1
	Serial No: ultrasound system, performance applications software and all transducers, including dropped transducers. Please refer to Warranty Schedule.	
*	SonoSite Institute for Point-of-Care Ultrasound: Exclusive access to over 100 hours of education including courses, videos, webinars, quizzes, certificates and additional resources. Accessible via desktop, tablet or phone	-