

SHIP TO: VA MEDICAL CTR (695)
V.A. Medical Center
5000 W NATIONAL AVENUE
BLDG 111
MILWAUKEE, WI 53295

REQUISITION: 695-B98043

Line	Qty.	Catalog	
1	1.00	H42752LS	LOGIQ P9 R3 5-Year Standard Warranty

LOGIQ P9 R3 general imaging ultrasound system provides strong performances through ease of use and personalized system. Built upon Agile Acoustic Architecture technology, the LOGIQ P9 helps you achieve great images using innovative tools including CrossXBeam (Spatial Compounding), SRI HD (Speckle Reduction Imaging in High Definition), and Coded Harmonics. Workflow features such as Raw Data for post-processing of images, Automatic Optimization, Easy 3D and Virtual Convex. The simple and compact design of the LOGIQ P7 include a 21.5 inch high-resolution color flat panel wide screen monitor with height-fixed, tilt and swivel arm, fixed console with 810mm height operating panel, high cabinet, 10.4 inch wide color LCD touch screen, three active probe ports. Scanning modes include B-Mode, M-Mode, Color Flow, Pulsed Wave, and Power Doppler. Other system features include: Windows** 10 operating platform, 776MB cine memory, approximately 500 GB internal hard drive, footrest, physical and digital user programmable presets, My Page, My Trainer, digital TGC, Touch Control, digital A/N keyboard and digital copy of user documentation (eIFU). Initial installation includes a five-year standard warranty including probes and two days of On-site Applications Training. Training must be completed within six (6) months after Product delivery, otherwise GE Healthcare's obligation to provide the training will expire without refund. Additional On-site Applications Training days are available for purchase. Customer workflow permitting and abiding by SDMS criteria, sonographer install CE's may be provided during install training. *Trademark of General Electric Company **Third party trademarks are the property of their respective owners.

Line	Qty.	Catalog	
2	1.00	H40262LT	ML6-15L Matrix Linear Array Probe

Wideband Matrix Linear Array Probe. Applications vary depending on the ultrasound system and may include Vascular, Neonatal, Pediatrics, and Small Parts. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.

Line	Qty.	Catalog	
3	1.00	H48312AH	L10-22-RS Linear Array Probe

Wideband Linear Array Probe. Applications vary depending on the ultrasound system and may include Rheumatology, Dermatology, Vascular, Nerve Block, and MSK. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.

Line	Qty.	Catalog	
4	1.00	H40482LJ	C1-5-RS Wideband Convex Array Probe (USA PoC Only)

Wideband Convex Array Probe. Applications vary depending on the ultrasound system and may include Abdominal, OB/GYN, Urology, Pediatric, Neonatal, Nerve Block, MSK, and ER (FAST Pleural). Only for sale in USA PoC. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications. Only for sale in USA PoC.

Line	Qty.	Catalog	
------	------	---------	--

5 1.00 H42782LR LOGIQ P9 DICOM

"DICOM* software package providing Verify, Print, Store, Multiframe, Modality Worklist, MPPS (Modality Performed Procedure Step), Storage Commitment, Media Exchange, Directory Import and Enhanced US Volume Storage. Additionally, supports Query/Retrieve and Structured Reporting.

* DICOM is the registered trademark of the National Electrical Manufacturers Association for its standard publications relating to digital communications of medical information."

Line	Qty.	Catalog	
6	1.00	H42782LY	LOGIQ P9 LOGIQView

Integrated, extended field of view B-mode imaging with measurement capability.

Line	Qty.	Catalog	
7	1.00	H42792LD	LOGIQ P9 B Steer+

B-Steer+ with pattern recognition technology to help highlight the needle and needle tip.

Line	Qty.	Catalog	
8	1.00	H42802LL	Wireless LAN option

Integrated wireless network capability allows for wireless DICOM transfer and network storage within a 802.11a/n, 802.11 b,g,n wireless network. DICOM is the registered trademark of the National Electrical Manufacturers Association for its standard publications relating to digital communications of medical information. Third party trademarks are the property of their respective owners.

Line	Qty.	Catalog	
9	1.00	H42902LC	LOGIQ P9 Rear Handle

Rear handle option for portability

Line	Qty.	Catalog	
10	1.00	H42802LG	LOGIQ P9 OPIO Tray

Tray (behind the monitor and touch panel) to put small goods such as ECG cable, etc.

Line	Qty.	Catalog	
11	1.00	H42902LE	LOGIQ P9 Gel Warmer

Gel Warmer hardware option.

Line	Qty.	Catalog	
12	1.00	H46302LB	Small Probe Adapter

Probe holder adapter for small probes.

Line	Qty.	Catalog	
13	1.00	H42832LG	LOGIQ P9 Standard Battery Option

Expands the LOGIQ* P9 portability profile. Battery option offers up to 20 minutes off-line scanning or sleep mode, moving the system without a complete system shutdown and boot up power cycle. Includes hardware for Power Assistant.

*Trademark of General Electric Company

Line	Qty.	Catalog	
14	1.00	H4801KT	ONSITE APPS TRNG 1 DAY

One day of On-Site Applications training. Training must be completed within six (6) months after purchase, or if ordered in conjunction with equipment within six (6) months after product delivery, otherwise GE Healthcare's obligation to provide the training will expire without refund.

Qty.	Credits and Adjustments
1.00	Any non-listed system Trade-in

Trade-in Addendum

E. Trade-In Equipment:

<u>Equipment/Vehicle Mfr</u>	<u>Model & Description</u>	<u>Quantity</u>	<u>* ID / Serial #</u>
OTHER	Any non-listed system Trade-in	1.00	SE18749501