


**1 FIRST FLOOR PLAN - MECHANICAL - DEMOLITION**  
SCALE: 1/4" = 1'-0"

- GENERAL NOTES:**
1. REFER TO M-0 FOR MECHANICAL LEGEND, ABBREVIATIONS AND GENERAL NOTES.
  2. SPRINKLER SYSTEM SHALL BE MODIFIED TO ACCOMMODATE NEW LAYOUT. REFER TO SPRINKLER GENERAL NOTES ON M-0 FOR FURTHER INFORMATION.

**DRAWING NOTES:**

- ① REMOVE EXISTING WATER CLOSET AND ALL ASSOCIATED APPURTENANCES. CAP PIPING IN WALL FOR RECONNECTION.
  - ② REMOVE EXISTING URINAL AND ALL ASSOCIATED APPURTENANCES. CAP PIPING IN WALL FOR RECONNECTION.
  - ③ REMOVE EXISTING LAVATORY AND ALL ASSOCIATED APPURTENANCES. CAP PIPING IN WALL FOR RECONNECTION.
  - ④ REMOVE EXISTING EXHAUST GRILLE IN CEILING AND ALL ASSOCIATED APPURTENANCES. REMOVE EXISTING EXHAUST DUCT BACK TO POINT INDICATED AND CAP DUCT AT MAIN.
  - ⑤ REMOVE EXISTING EXHAUST GRILLE IN WALL AND ALL ASSOCIATED APPURTENANCES. CAP DUCT IN WALL AND PATCH WALL TO MATCH EXISTING FINISH AND FIRE RATING.
  - ⑥ EXISTING EXHAUST DUCT TO REMAIN.
  - ⑦ PROVIDE WATER CLOSET (P-103) WITH BARRATTE JACK BY BAR INDUSTRIES SK1000 SERIES OR APPROVED EQUAL. CONNECT TO EXISTING PIPING IN WALL. PROVIDE ADDITIONAL PIPING AS REQUIRED FOR INSTALLATION.
  - ⑧ PROVIDE URINAL (P-202) AND CONNECT TO EXISTING PIPING IN WALL. PROVIDE ADDITIONAL PIPING AS REQUIRED FOR INSTALLATION.
  - ⑨ PROVIDE LAVATORY (P-418) AND CONNECT TO EXISTING PIPING IN WALL. PROVIDE ADDITIONAL PIPING AS REQUIRED FOR INSTALLATION.
- LIMIT OF WORK FOR SPRINKLER MODIFICATION, REFER TO GENERAL NOTE 2 AND SPRINKLER GENERAL NOTES ON DRAWING I-60.





**2 FIRST FLOOR PLAN - MECHANICAL - NEW WORK**  
SCALE: 1/4" = 1'-0"

### GENERAL NOTES:

1. REFER TO M-0 FOR MECHANICAL LEGEND, ABBREVIATIONS AND GENERAL NOTES.
2. SPRINKLER SYSTEM SHALL BE MODIFIED TO ACCOMMODATE NEW LAYOUT. REFER TO SPRINKLER GENERAL NOTES ON M-0 FOR FURTHER INFORMATION.

**DRAWING NOTES:**

- ① REMOVE EXISTING WATER CLOSET AND ALL ASSOCIATED APPURTENANCES. CAP PIPING IN WALL FOR RECONNECTION.
  - ② REMOVE EXISTING URINAL AND ALL ASSOCIATED APPURTENANCES. CAP PIPING IN WALL FOR RECONNECTION.
  - ③ REMOVE EXISTING LAVATORY AND ALL ASSOCIATED APPURTENANCES. CAP PIPING IN WALL FOR RECONNECTION.
  - ④ REMOVE EXISTING EXHAUST GRILLE IN CEILING AND ALL ASSOCIATED APPURTENANCES. REMOVE EXISTING EXHAUST DUCT BACK TO POINT INDICATED AND CAP DUCT AT MAIN.
  - ⑤ REMOVE EXISTING EXHAUST GRILLE IN WALL AND ALL ASSOCIATED APPURTENANCES. CAP DUCT IN WALL AND PATCH WALL TO MATCH EXISTING FINISH AND FIRE RATING.
  - ⑥ EXISTING EXHAUST DUCT TO REMAIN.
  - ⑦ PROVIDE WATER CLOSET (P-103) WITH BARRATING JACK BY BAR INDUSTRIES SK1000 SERIES OR APPROVED EQUAL. CONNECT TO EXISTING PIPING IN WALL. PROVIDE ADDITIONAL PIPING AS REQUIRED FOR INSTALLATION.
  - ⑧ PROVIDE URINAL (P-202) AND CONNECT TO EXISTING PIPING IN WALL. PROVIDE ADDITIONAL PIPING AS REQUIRED FOR INSTALLATION.
  - ⑨ PROVIDE LAVATORY (P-418) AND CONNECT TO EXISTING PIPING IN WALL. PROVIDE ADDITIONAL PIPING AS REQUIRED FOR INSTALLATION.
- LIMIT OF WORK FOR SPRINKLER MODIFICATION, REFER TO GENERAL NOTE 2 AND SPRINKLER GENERAL NOTES ON DRAWING I-60.



FINAL CONTRACT DOCUMENT SUBMISSION

[illegible]