

NOTE:
* FOR INSTALLATION OF STEAM LINE

1. CONTRACTOR IS TO REMOVE EXCAVATED MATERIAL FROM SITE DURING CONSTRUCTION AND TEMPORARILY STOCKPILE OFF-SITE, AT A LOCATION WITH AN APPROVED ESC PLAN.
2. PLACE ALL EXCAVATED MATERIAL ON UPHILL SIDE OF TRENCH, UNTIL REMOVED FOR STOCKPILING.
3. ANY SEDIMENT CONTROLS DISTURBED BY UTILITY CONSTRUCTION ARE TO BE REPAIRED IMMEDIATELY.
4. CONTRACTOR SHALL MAINTAIN AT LEAST ONE (1) LANE OF TRAFFIC AT ALL TIMES. PROVIDE A FLAGGER IF NECESSARY.

NOTE:
* FOR INSTALLATION OF GEOTHERMAL WELLS

1. CONTRACTOR IS TO REMOVE ALL EXCAVATED MATERIAL CREATED BY DRILLING AND TRENCHING FROM THE SITE AND TEMPORARILY STOCKPILE OFF-SITE IF IT IS TO BE REUSED, OR DISPOSE OF OFF-SITE IN AN APPROVED DISPOSAL SITE.

TOTAL DISTURBED AREA:	11,139.10 S.F.
NEW IMPERVIOUS AREA:	2,888.47 S.F.
IMPERVIOUS AREA REMOVED:	1,147.63 S.F.
NET CHANGE IN IMPERVIOUS AREA:	+1,740.84 S.F.

LEGEND

EX. MINOR CONTOUR	21
EX. MAJOR CONTOUR	25
EX. SPOT ELEVATION	× 25.0
EX. FIRE HYDRANT	
EX. STORM DRAIN	EX. 12" RCP SD
EX. WATER LINE	EX. 10" W
EX. SANITARY SEWER	8" S SAN
EX. CHILLED WATER	CW
EX. CABLE TV LINE	TV
EX. FIBER OPTIC LINE	FO
EX. HOT WATER LINE	HW
EX. TELECOMMUNICATIONS LINE	T
UNKNOWN DETECTED UTILITY/ CONDUCTOR	UK
EX. GAS LINE	GAS
EX. SANITARY FORCE MAIN	SAN
EX. STEAM & CONDENSATE LINES	ST
EX. UNDERGROUND ELECTRIC LINE	UGE
EX. TREE LINE	
EX. BUILDING	
EX. CURB AND GUTTER	
EX. BITUMINOUS PAVING	
EX. CONCRETE SIDEWALK	
EX. SIGN	
EX. LIGHT FIXTURE	
EX. CHAIN LINK FENCE	X X X X
PROP. BUILDING	
PROP. CONCRETE SIDEWALK	
PROP. MINOR CONTOUR	21
PROP. MAJOR CONTOUR	25
PROP. SILT FENCE	SF SF
LIMIT OF DISTURBANCE	LOD LOD

PLAN

SCALE 1"=20'

IF THIS DRAWING IS A REDUCTION, GRAPHIC SCALE MUST BE USED.

20' 10' 0 20'

SCALE:1"=20'-0"

FULLY SPRINKLERED CONTRACT DOCUMENTS SUBMISSION

Additions:	Date:
Revisions:	

Consultants

BURDETTE KOEHLER MURPHY & ASSOCIATES, INC.
MECHANICAL / ELECTRICAL CONSULTING ENGINEERING
1423 CLARKVIEW ROAD, SUITE 500
BALTIMORE, MARYLAND 21209
410.323.0600 – FAX 410.377.2543

RICKERT ENGINEERING, INC.
STRUCTURAL ENGINEER
8813 WALTHAM WOODS RD. SUITE 310
BALTIMORE, MARYLAND 21234
410.663.5110 – FAX 410.663.5114

BUILDING COST CONSULTANTS
COST ESTIMATING
12917 – 30TH AVENUE
PLATTSMOUTH, NEBRASKA 68048
402.298.8260 – FAX 402.298.8290

CENTURY ENGINEERING, INC.
CIVIL ENGINEER
10710 GILROY ROAD
HUNT VALLEY, MARYLAND 21031
443.589.2400 – FAX 443.589.2401

Seal:

ARCHITECTURE
PLANNING
ENGINEERING

POLT DESIGN GROUP
1301 Enterprise Court, Suite 103-C
Bel Air, Maryland 21014-1847
410.803.2141
fax 410.838.1603
www.polt-design.com

Drawing Scale: 1" = 20'
Drawing Start Date:
Drawing Finish Date:
Drawing Approved:

Drawing Title: EROSION & SEDIMENT CONTROL PLAN
Approved: Associate Director for Operations:
Approved: Chief, Facilites Engineer:
Approved: Director, Medical Center:

Project Title: BUILDING 5 RENOVATION
Building No: 5
Checked: AJD
Drawn: RDT
Location: VAMHCS MEDICAL CENTER WILMINGTON, DELAWARE

Date: 6-15-2012
Project No: 460-13-111
DRAWING NO: L-6
Dwg. 7 Of 67

DEPARTMENT OF VETERANS AFFAIRS

PDG 110105.01