

1 RECESSED ALARM CONTACT
NO SCALE



GENERAL NOTES
1. ALL HARDWARE SHOWN SHALL BE STAINLESS STEEL.
2. PROVIDE 1 MOUNTING POINT PER 12" OF BAR LENGTH.
3. HOLES MAY BE ADDED IF REQUIRED.

2 GROUNDING BAR DETAIL



3 MOTION DETECTOR NON-ACCESSIBLE CEILING ELEVATION DETAIL
NO SCALE



7 RISER BACKBOARD ELEVATION
NO SCALE



4 SINGLE DOOR ALARM CONTACT PLACEMENT
NO SCALE



5 TYP. CCTV CAMERA MOUNTING DETAILS
NO SCALE



6 MOTION DETECTOR ACCESSIBLE CEILING ELEVATION DETAIL
NO SCALE



8 SLEEVE/CONDUIT DETAILS
NO SCALE



9 CABLE TRAY CONDUIT CONNECTION
NO SCALE

FULLY SPRINKLERED
CONTRACT DOCUMENTS SUBMISSION

Additions:	Date:
Revisions:	

Consultants

BURDETTE KOEHLER MURPHY & ASSOCIATES, INC.
MECHANICAL / ELECTRICAL CONSULTING ENGINEERING
1423 CLARKVIEW ROAD, SUITE 500
BALTIMORE, MARYLAND 21209
410.323.0600 – FAX 410.377.2543

RICKERT ENGINEERING, INC.
STRUCTURAL ENGINEER
8813 WALTHAM WOODS RD, SUITE 310
BALTIMORE, MARYLAND 21234
410.663.5110 – FAX 410.663.5114

BUILDING COST CONSULTANTS
COST ESTIMATING
12917 – 301TH AVENUE
PLATTSMOUTH, NEBRASKA 68048
402.298.8260 – FAX 402.298.8290

CENTURY ENGINEERING, INC.
CIVIL ENGINEER
10710 GILROY ROAD
HUNT VALLEY, MARYLAND 21031
443.589.2400 – FAX 443.589.2401

Seal:

POLT DESIGN GROUP
ARCHITECTURE PLANNING ENGINEERING
1301 Enterprise Court, Suite 103-C 410.803.2141
Bel Air, Maryland 21014-1847 fax 410.838.1603
www.polt-design.com

Drawing Scale:	Drawing Title: TELECOM DETAILS	Project Title: BUILDING 5 RENOVATION	Date: 6-15-2012
Drawing Start Date:	Approved: Associate Director for Operations:		Project No: 460-13-111
Drawing Finish Date:	Approved: Chief, Facilites Engineer:	Building No: 5 / Checked: JWW / Drawn: PCG	DRAWING NO: T-403
Drawing Approved:	Approved: Director, Medical Center:	Location: VAMHCS MEDICAL CENTER WILMINGTON, DELAWARE	Dwg. 66 Of 67

DEPARTMENT OF VETERANS AFFAIRS

PDG 110105.01