




1. **INSPECT ENTIRE PROJECT**
DEFINITELY TO ASCERTAIN EXTENT
OF ALL WORK, AND TO
PROTECT AGAINST ANY DISCREPANCIES.
2. **PROTECT ADJACENT AREAS NOT**
SCHEDULED FOR DEMOLITION
FROM DAMAGE DUE TO REMOVAL.
3. **SCHEDULE REMOVAL WORK**
TO AVOID INTERRUPTING OR
DISTURBING ACTIVITIES OF
ADJACENT OCCUPIED AREAS.
4. **PROVIDE BARRICADES DURING**
DEMOLITION WORK TO PREVENT
UNAUTHORIZED ACCESS.
5. **PROTECT AGAINST EXCESSIVE**
DUST FROM OTHER ENVIRONMENTAL
HAZARDS. CONDUCT ASBESTOS
INSPECTION AND REMOVE ACCORDING
TO CURRENTLY APPLICABLE PROCEDURES
PRIOR TO COMMENCING OTHER
REMOVAL.
6. **ASSIGN DEMOLITION WORK** TO
APPROPRIATE PERSONS BEST
BUILT FOR THE PARTICULAR TYPE
OF WORK TO AVOID UNNECESSARY
EXPOSURE OF THE EMPLOYEES TO
UNSAFELY WORKERS.
7. **COORDINATE WITH APPLICABLE**
UTILITY COMPANIES AND OWNER
FOR UTILITY SHUTDOWNS AND
REPAIRS CAPTING NECESSITATED
BY REMOVAL WORK.
8. **COMPLETE ALL WORK** IN A NEAT,
EFFICIENT AND NORMANLISE
MANNER.
9. **REMOVE FROM JOBSITE AND DISPOSE**
OF ALL OTHER ALL DISCARDED
MATERIAL.
10. **PATCH AND REPAIR ALL SURFACES**
ADJACENT TO REMOVAL.
11. **CLEAN, RESTORE, REPAIR OR REPLACE**
NON-REMOVAL, ITEMS OR SURFACES
NOT BEING REMOVED, DAMAGED,
EXPOSED, DISTURBED, OR ALTERED
BY DEMOLITION.
12. **CLEAN ENTIRE SPACE**
IN ANTICIPATION OF NEW
CONSTRUCTION.



[illegible]














PLUMBING SPECIFICATIONS

ELECTRICAL NOTES:

- NOTES:

UNLESS OTHERWISE NOTED

- ### ELECTRICAL LEGEND

- | | |
|---|--|
|  | EXTERIOR IRRADIANCE INTENSITY |
|  | Cloud cover in percent (0 = clear sky, 100 = overcast) |
|  | FLUXO UNIT - on photo cell |
|  | WIND SPEED MEASURE |
|  | FUNCTION BOX |
|  | SWITCH |
|  | DATA LOG |
|  | ON |
|  | WATER PROOF OUTLET |
|  | QWAO |
|  | PHONE |
|  | EMAIL FAX |
|  | CARD OUTLET |



NOTE:
CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS
PRIOR TO
CONSTRUCTION AND NOTIFY ARCHITECT OF ANY
DISCREPANCIES.

NEC 201.3 - SMOKE DETECTORS TO BE 20 AMP - NO OTHER OUTLETS ALLOWED ON CIRCUIT
NEC 201.3 - NO COORDINATION TYPE BREAKERS ARE REQUIRED FOR ALL OUTLET CIRCUITS
RECEPTACLES, LITES, FANS AND SMOKE DETECTORS
NEC 406.11 - TRANSFER RESISTANT RECEPTACLES REQUIRED