

**SECTION 01 56 26  
TEMPORARY CHAIN-LINK FENCE**

**PART 1 - GENERAL**

**1.1 DESCRIPTION:**

This section specifies the temporary fencing to be installed around the site.

**1.3 SUBMITTALS:**

- A. Fence panel: Product information
- B. Locking method: Method to double-lock gates and allow for Contractor and the Department of Veterans Affairs to control access to the site.

**PART 2 - PRODUCTS**

**2.1 TEMPORARY CHAIN-LINK FENCE PANELS:**

- A. 6' high chain link stainless steel fence and gate panels, up to 10 feet in length, with tubes on all four sides, and tension wire or tubes diagonally keeping the shape. Stainless steel fence fabric with 2" x 2" openings to be attached on all four sides.

**2.2 FENCE PANEL BASES:**

- A. Concrete or steel portable bases to be used for fence panels and gates. No post holes may be drilled anywhere on this project.

**PART 3 - EXECUTION**

**3.1 PRODUCT INSTALLATION:**

- A. Install fencing as shown on the plans to secure the site. Rotating fence panels shall be used for gates. Provide double-lock access to the Contractor and the Department of Veterans Affairs can control access to the site. Public vehicular and pedestrian access must be maintained to the site, 7 days a week.

**3.2 FENCE MAINTENANCE:**

- A. Repair the fencing as required throughout the project to maintain the integrity of the site.

**3.2 PRODUCT REMOVAL:**

- A. Remove the fencing from the site at the end of the project, and repair any damage that may have been caused to the pavement and lawn.

- - - E N D - - -