

**SECTION 09 06 00**  
**SCHEDULE FOR FINISHES**

**PART I - GENERAL**

**1.1 DESCRIPTION**

This section contains a coordinated system in which requirements for materials specified in other sections shown are identified by abbreviated material names and finish codes in the room finish schedule or shown for other locations.

**1.2 MANUFACTURERS**

Manufacturer's trade names and numbers used herein are only to identify colors, finishes, textures and patterns. Products of other manufacturer's equivalent to colors, finishes, textures and patterns of manufacturers listed that meet requirements of technical specifications will be acceptable upon approval in writing by contracting officer for finish requirements.

**1.3 SUBMITALS**

Submit in accordance with SECTION 01 33 23, SHOP DRAWINGS, PRODUCT DATA, AND SAMPLES—provide quadruplicate samples for color approval of materials and finishes specified in this section.

**1.4 APPLICABLE PUBLICATIONS**

- A. Publications listed below form a part of this specification to the extent referenced. Publications are referenced in text by basic designation only.
- B. MASTER PAINTING INSTITUTE: (MPI)
  - 2001.....Architectural Painting Specification Manual

**PART 2- PRODUCTS**

**2.1 COLOR SLIDES**

- A. Size 24 x 35 mm.
- B. Labeled for:
  - 1. Building name and Number.
  - 2. Room Name and Number.

## 2.2 DIVISION 08 - OPENINGS

### A. SECTION 08 11 13, HOLLOW METAL DOORS AND FRAMES

Paint all sides of door and frames including ferrous metal louvers, and hardware attached to door	
WHITE Gloss code 5	Exterior paint oil Base.

### B. SECTION 08 14 00, WOOD DOORS

Component	Finish/Color
Doors	STAIN TO MATCH EXISTING DOORS- COORDINATE W/ OWNER
Frames	PAINT TO MATCH SURROUNDING WALLS- W/ GLOSS LEVEL 5

## 2.3 DIVISION 09 - FINISHES

### A. SECTION 09 51 00, ACOUSTICAL CEILINGS

Finish Code	Component	Color Pattern	Manufacturer	Mfg Name/No.
AT-1	Exposed Suspension System	White	Certaiteed	Fine Fissured Non-Directional

### B. SECTION 09 65 19, RESILIENT TILE FLOORING

### C. SECTION 09 65 13, RESILIENT BASE

Finish Code	Item	Height	Manufacturer	Mfg Name/No.
RB	Class room interior	4"	Johnsonite	Fawn #80

### D. SECTION 09 91 00, PAINT AND COATINGS

#### 1. MPI Gloss and Sheen Standards

Gloss @60

Sheen @85

Gloss Level 1	a traditional matte finish-flat	max 5 units, and	max 10 units
Gloss Level 2	a high side sheen flat-"a velvet-like" finish	max 10 units, and	10-35 units
Gloss Level 3	a traditional "egg-shell like" finish	10-25 units, and	10-35 units
Gloss Level 4	a "satin-like" finish	20-35 units, and	min. 35 units
Gloss Level 5	a traditional semi-gloss	35-70 units	
Gloss Level 6	a traditional gloss	70-85 units	
Gloss level 7	a high gloss	more than 85 units	

2. Paint code	Gloss	Manufacturer	Mfg. Color Name/No.
P-1	5	ICI Paint	Luminary yellow #LO744

Room Name & Tag	Item	Finish	Manufacturer	Mfg. Color Name/No.
Learning Center 1056	Acoustical wall board	Cloth	Armstrong Arc-com	Soundsoak 1" board Roundabout AC-60090

## 2.5 Division 26 Electrical

Room name & tag	ITEM	Finish	Manufacturer	Part #
Class room	Suspended ceiling drop in set light	white		2 T-8 Florescent lamp fixture with clear prismatic cover
Learning center	Pendent light	white	Cooper lighting	LCR620DULPERW6840H206LW0LI

## PART III EXECUTION

### 3.1 FINISH SCHEDULES & MISCELLANEOUS ABBREVIATIONS

FINISH SCHEDULE & MISCELLANEOUS ABBREVIATIONS	
Term	Abbreviation

Acoustical Ceiling	AT
Carpet Module Tile	CPT
Gypsum Wallboard	GWB
Kick Plate/ Push Plate	KP/PP

Paint	P
Plastic Laminate	PL
Porcelain Paver Tile	PPT
Resilient Stair Tread	RST
Rubber Base	RB
Rubber Tile Flooring	RT

Solid Surface	SS
Transition Strip	TS
Walk-off Matt	WM
Vinyl Tile	VT
Wall Beadboard	WB

### 3.2 FINISH SCHEDULE SYMBOLS

#### Symbol Definition

\*\* Same finish as adjoining walls  
 - No color required  
 E Existing  
 XX To match existing  
 EFTR Existing finish to remain  
 RM Remove

--- E N D---