

SECTION 01 42 15
STANDARD ARCHITECTURAL DRAWING ABBREVIATIONS

A	air (medical)	CTSK	countersunk
AC	acoustical ceiling	CUB	cubicle
ACM	aluminum composite material, asbestos containing material	CUH	cabinet unit heater
ADA	Americans with Disabilities Act	CURT	curtain
ADH	adhesive	DBL	double
AFF	above finished floor	DEFS	direct-applied exterior finish system
AHU	air handling unit	DF	drinking fountain
ALT	Alternate	DIA	diameter
ALUM	aluminum	DIAG	diagonal
ANOD	anodized	DIM	dimension
AWP	acoustical wall panel	DN	down
B	base	DP	depth or deep
B/	bottom	DR	door
BB	bulletin board	DS	downspout
BD	board	DTL	detail
BF	barrier free	DWG	drawing
BL	borrowed lite (light),	DWL	dowel
blinds		EA	each
BLDG	building	EIFS	exterior insulation and finish system
BLKG	blocking	EJ	expansion joint
BM	beam or bench mark	EL	elevation
BOT	bottom	ELEC	electrical
BR	brick	ELEV	elevator
BRG	bearing	EMBD	electronic marker board
BSMT	basement	EP	electrical panel
BTWN	between	EQ	equal
C	carpet	EQMT	equipment
CAB	cabinet	ETR	existing to remain
CB	catch basin	EW	eye wash
CBD	chalk board	EWC	electric water cooler
CC	cubicle curtain	EWH	electric wall heater
CG	corner guard	EXP	exposed
CJ	control joint	EXT	exterior
CL	center line	EXTG	existing
CLG	ceiling	F	filler
CLOS	closet	FAB	fabric
CLR	clear	FB	face brick
CMU	concrete masonry unit	FD	floor drain
COL	column	FE	fire extinguisher - (bracket mtd.)
COMM	communication	FER	fire extinguisher in (recessed cab.)
CONC	concrete	FES	fire extinguisher in (surface mtd. cab.)
CONF	conference	FESR	fire extinguisher in (semi-recessed cab.)
CONT	continuous	FF	finished floor, factory finish
CONTR	contractor	FG	fire rated safety glass
CORR	corridor	FHC	fire hose cabinet
CMPT	compartment	FIN	finish(ed)
CR	card reader, crash rail		
CRK	cork (flooring)		
CS	computer station		
CT	ceramic tile		
CTR	center or counter		

FL	flush	LT	light
FLR	floor		
FLRG	flooring	MAS	masonry
FLSHG	flashing	MAX	maximum
FM	floor mat	MB	marker board
FND	foundation	MBL	marble
FR	frame	MECH	mechanical
FRP	fiberglass reinforced plastic	MEZZ	mezzanine
FRT	fire retardant treated	MFR	manufacturer
FTG	footing	MG	monolithic float glass
FV	field verify, film viewer	MICRO	microwave
		MIN	minimum, minute
GA	gauge	MISC	miscellaneous
GALV	galvanized	MLAM	metal laminate
GB	grab bar	MJT	movement joint
GR	grout	MO	masonry opening
GRAN	granite	MTD	mounted
GYP	gypsum	MTL	metal
		NA	not applicable
H	height (high)	NC	nurse call station
HB	hose bibb	NIC	not in contract
HD	hair dryer, hand dryer, head or hard	NO	number
HDWR	hardware	NOM	nominal
HORIZ	horizontal	NTS	not to scale
HPC	high performance coating	O	oxygen
HR	hour	OC	on center
HSS	hollow structural section	OD	outside diameter
HVAC	heating, ventilating, air conditioning	OHD	overhead door
		OPNG	opening
		OPP	opposite
IBC	international building code	PA	paint
ID	inside diameter	PAD	paint, dryfall
IE	invert elevation	PAE	paint with eggshell finish
IG	insulating glass	PAF	paint with flat finish
INSUL	insulation	PART	partition
INT	interior	PAS	paint with semi-gloss finish
IRWC	impact resistant wall covering	PASS	passage
JAN	janitor	PAT	paint with satin finish
JST	joist	PAX	paint, epoxy
JT	joint	PBD	particle board
		PC	pre-cast
KD	knocked-down	PE	poured epoxy
KO	knock(ed)-out	PERP	perpendicular
KS	knee space	PG	patterned glass
KT	keyboard tray	PL	plate
		PLAM	plastic laminate
LAB	laboratory	PLAS	plaster
LAM	laminate(d)	PLBG	plumbing
LAV	lavatory	PLYWD	plywood
LG	long, laminated glass	PP	push plate (barrier free door activator)
LIN	linoleum	PPT	parapet
LKR	locker	PS	projection screen
LL	lead lined	PSF	pounds per square foot
LSJ	long span joist		

PT	preservative treated or porcelain tile	T	tread
PTD	paper towel dispenser	T/	top of
PTS	pneumatic tube station	T & G	tongue and groove
PTM	patch to match	TB	tack board
PU	poured urethane	TEL	telephone
		TEMP	tempered or temporary
QT	quarry tile	TER	terrazzo
QTZ	quartz surfacing material	TH	thick(ness)
		TLT	toilet
R	riser/radius	TOB	top of beam
RAF	resilient athletic flooring	TOD	top of deck
RB	resilient base	TOF	top of footing
RBR	rubber, rubber flooring	TOJ	top of joist
RD	roof drain	TOM	top of masonry
REF	refrigerator	TOS	top of slab or top of steel
REINF	reinforced	TOW	top of wall
REQD	required	TP	toilet partition
REV	revision	TPG	topping
RF	resilient flooring	TPH	toilet paper holder
RFG	roofing	TS	tubing, structural or transition strip
RM	room	TV	television or TV outlet
RO	rough opening, reverse osmosis	TWC	tackable wall covering
RST	resilient stair tread	TYP	typical
RT	resilient tile		
RTU	rooftop unit	UC	undercounter or cabinet
		UCD	undercut door
S	switch	UCL	undercabinet light
SC	special coating	UH	unit heater
SCHD	schedule	UNEXC	unexcavated
SCONC	sealed concrete	UNFIN	unfinished
SD	soap dispenser	UNO	unless noted otherwise
SG	spandrel glass		
SGT	structural glazed tile	V	vinyl
SHT	sheet	VAC	vacuum
SIM	similar	VAR	varies
SL	slate	VCT	vinyl composition tile
SLD	solid surfacing material	VENT	ventilator
SM	sheet metal	VERT	vertical
SND/D	sanitary napkin dispenser/disposal unit	VIF	verify in field
		VT	vinyl tile
SPG	specialty glass		
SQ	square	W	width or wide
SS	stainless steel	W/	with
ST	stone	W/O	without
STC	sound transmission coefficient, storage cabinet	WC	wall covering
		WD	wood
STCONC	stained concrete	WDW	window
STD	standard	WDWK	wood work
STL	steel	WF	wide flange
STN	stain	WLHG	wallhung
STOR	storage	WRC	wardrobe cabinet
STRUCT	structure or structural	WSCT	wainscot
SUSP	suspended	WWF	welded wire fabric
SV	sheet vinyl	WWR	welded wire reinforcement

----- END -----