




- # GENERAL NOTES
1. THE INTENT OF THE DRAWINGS PROVIDED ARE TO IDENTIFY THE QUANTITIES AND LOCATIONS OF EXISTING DEVICES AND HARDWARE AND ALSO TO IDENTIFY LOCATIONS THAT DO NOT CURRENTLY HAVE ACCESS CONTROL, PANIC ALARM, OR INTRUSION DETECTION. ANY ADDITIONAL HARDWARE, WIRING OR DEVICES NECESSARY TO REPLACE THIS SYSTEM SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO INCLUDE WITHIN BID.
  2. THE OVERALL SYSTEM LAYOUT AND DESIGN SHALL BE PREPARED BY THE CONTRACTOR AND SUBMITTED AS PART OF THE PHASING AND SHOP DRAWING PROCESSES.
  3. EXISTING ACCESS CONTROL, INTRUSION DETECTION, AND PANIC ALARM SYSTEMS SHALL BE REMOVED ENTIRELY UPON COMPLETION OF PROJECT. IT IS EXPECTED THAT ALL WIRING SHALL BE NEW.
  4. DOORS WITH AUTOMATIC OPENERS SHALL BE INTEGRATED WITH NEW SYSTEMS.
  5. FINAL PRODUCT SHALL BE COMPLIANT WITH VA FIRECODE 0730, HOMELAND SECURITY PRESIDENTIAL DIRECTIVE 12 (HSPD-12), AND FIPS 201. REFER TO SPECIFICATION FOR OTHER GOVERNING REQUIREMENTS.
  6. REFER TO VA PHYSICAL SECURITY DESIGN MANUAL FOR SPECIFIC DOOR OPENING REQUIREMENTS. THIS INFORMATION CAN BE FOUND AT [WWW.CFMA.VA.GOV/TIL/PHYSICALSECURITY/DMPHVSECNC\\_04.PDF](http://WWW.CFMA.VA.GOV/TIL/PHYSICALSECURITY/DMPHVSECNC_04.PDF)

THE FOLLOWING REQUIREMENTS SHALL APPLY TO ALL ASPECTS OF THIS PROJECT. AREAS WILL BE ENCOUNTERED THAT WILL DICTATE ADDITIONAL MEASURES ABOVE THESE REQUIREMENT AND OTHER AREAS BELOW THESE REQUIREMENTS.

1. REMOVE OR ISOLATE HVAC SYSTEM IN AREA WHERE WORK IS BEING DONE TO PREVENT CONTAMINATION OF DUCT SYSTEM.
2. COMPLETE ALL CRITICAL BARRIERS TO SEAL AREA FROM NON-WORK AREAS OR IMPLEMENT CONTROLL CUBE METHOD (WITH HEPA VAC) BEFORE CONSTRUCTION BEGINS.
3. MAINTAIN NEGATIVE AIR PRESSURE WITHIN WORK SITE UTILIZING HEPA EQUIPPED AIR FILTRATION UNITS.
4. CONTAIN CONSTRUCTION WASTE BEFORE TRANSPORT IN TIGHTLY COVERED CONTAINERS.
5. COVER TRANSPORT RECEPTACLES OR CARTS.
6. PLACE STICKY MATS OUTSIDE ALL WORK AREAS.
7. OBTAIN ICRA PERMIT BEFORE THE START OF WORK IN ANY AREA.

		<b>CONSULTANTS:</b>	Drawing Title	Project Title			Project Number	Office of Construction and Facilities Management		
				FOURTH FLOOR	SECURITY + ACCESS CONTROL UPGRADE				562-13-104	
									Building Number ALL	
				Approved Project Director	Location 135 E 38TH STREET ERIE, PA				Drawing Number E-5	
					Date 1/12/13		Checked FMS		Drawn FMS	Dwg. of
Revisions	Date							 Department of Veterans Affairs		