




**NEW WORK NOTES:**

- 1) PROVIDE AND INSTALL NEW LIGHT SWITCH, STAINLESS STEEL FACE PL. METALUX, 2AC23218, 2X4, RECESSED TROFFER SERIES
- 2) PROVIDE AND INSTALL NEW IT OUTLET WIRING
- 3) PROVIDE AND INSTALL NEW SOLID BIRCH WOOD DOOR, METAL FRAME, BEST LOCKS, 7XC SERIES, INTERCHANGEABLE CORES, LEVER: 15D, FINISH 626, ALL HARDWARE, FINISH DOORS
- 4) PROVIDE AND INSTALL NEW AMTICO VINYL PLANK FLOORING, PRIOR OAK, AR0W1200, 4.5"x3.6", BEVELLED EDGE
- 5) PROVIDE AND INSTALL NEW CEILING TILE AND GRID, BAROQUE, BET-157, 24"x24"x5/8"
- 6) PROVIDE AND INSTALL KNOCK DOWN FINISH ON WALLS, PAINT WALLS WITH SHERWIN WILLIAMS HARMONY PAINT, PAINT DOOR FRAMES WITH SHERWIN WILLIAMS DTM ACRYLIC
- 7) PROVIDE AND INSTALL NEW SCHEDULE 40 BLACK PIPE, WITH DROPS AND NEW HEADS (white eschichtens), MEET CURRENT CODE AND PROVIDE INSPECTION UPON COMPLETION
- 8) PROVIDE AND INSTALL NEW 4" JOHNSONITE COVE BASE
- 9) PROVIDE AND INSTALL WALL MOUNTED SINK, ADA COMPLIANT WITH SENSOR, CHROME FAUCET, GRID DRAIN, ALL PLUMBING MATERIALS
- 10) PROVIDE AND INSTALL NEW MIRROR, STAINLESS STEEL FRAME, 24"x36", COMMERCIAL QUALITY
- 11) PROVIDE AND INSTALL NEW HIGH EFFICIENCY TOILET SYSTEM, TYPE: SLOAN, WETS 2002.1201, SOLAR POWERED SENSOR
- 12) PROVIDE AND INSTALL ADA RESTROOM PARTITIONS, CLASS A OR B
- 13) FIRE RATING SOLID PLASTIC, STAINLESS STEEL HARDWARE (METPAR, FITTOPIY OR EQUAL)
- 14) PROVIDE AND INSTALL ADA GRAB BARS, BRUSHED STAINLESS STEEL
- 15) PREP AND PAINT WINDOW SEALS
- 16) PROVIDE AND INSTALL TROWEL APPLIED EPOXY FLOOR, 1/4" THICK, TYPE: BASF, SELBAWED 71, WITH A 6" WALL BASE
- 17) PROVIDE AND INSTALL NEW FLOOR DRAIN, COVER AND ALL PLUMBING
- 18) PROVIDE AND INSTALL EXHAUST, THE INTO EXIST EXHAUST
- 19) PROVIDE AND INSTALL A NEW URINAL
- 20) PROVIDE AND INSTALL INPRO DOOR FRAME GUARDS, TYPE CUSTOM FORMED WITH MOP STOP
- 21) PROVIDE AND INSTALL INPRO DOOR PROTECTION KICKPLATED, TYPE: MODEL 10, K41
- 22) PROVIDE AND INSTALL PLASTIC ZIPPER ENTRANCE AND STICKY MATS
- 23) PROVIDE AND INSTALL DYSON, AIRBLADE HAND DRYER
- 24) PROVIDE AND INSTALL AN EXHAUST FAN WITH A MIN. OF 2000 CFM, THE INTO EXISTING EXHAUST DUCT, PROVIDE ALL ELECTRICAL FOR NEW EXHAUST FAN, EXHAUST FAN, VENT PIPE INSTALLED ON TOP OF THE 1ST FLOOR ROOF. REPAIR ROOF AS NEEDED.

**DEMO NOTES:**

- 1) DEMO EXISTING WALL
- 2) DEMO ELECTRICAL WITHIN WALL BACK TO THE NEAREST J-BOX
- 3) DEMO IT WITHIN WALL
- 4) DEMO DOOR AND FRAME
- 5) ABATE VCT FLOOR AND MASTIC
- 6) REMOVE EXISTING LIGHTS AND WIRING BACK TO THE NEAREST J-BOX
- 7) DEMO AND ABATE PLASTER CEILING AND ASSOCIATED METAL
- 8) DEMO WALL TILE AND REPAIR WALL AS NEEDED
- 9) DEMO VINYL WALL COVERING
- 10) DEMO CEILING TILE AND GRID
- 11) DEMO EXISTING SPRINKLER PIPE, HEADS, DROPS
- 12) DEMO COVE BASE
- 13) DEMO CARPET AND GLUE
- 14) DEMO DOOR HARDWARE (RETAIN FOR THE VA)
- 15) DEMO EXISTING TOILET AND PLUMBING
- 16) DEMO EXISTING URINAL AND PLUMBING
- 17) DEMO EXISTING SINK AND PLUMBING
- 18) REMOVE AND STORE ALL WALL ITEMS (RETAIN FOR THE VA)
- 19) REMOVE PARTITIONS, DOORS AND HARDWARE
- 20) REMOVE FLOOR TILE AND PREP FOR NEW FLOORING

**NOTE TO CONTRACTOR:**  
 CONTRACTOR WILL REMOVE 30' OF 4" GALVANIZED SEWER LINE WITH ALL JOINTS, 50' OF VENT LINES (2" CAST IRON AND 2 1/2" GALVANIZED PIPE) BACK TO THE RISERS. IN ORDER TO REMOVE THESE PIPES THE CONTRACTOR WILL REMOVE THE PLASTER CEILING (APPROX: 345 SQ.FT) BELOW ROOM 145A AND 145B AND CEILING DEVICES. CONTRACTOR WILL PROVIDE AND INSTALL NEW CEILING TILE (BAROQUE, BET-157) AND GRID (APPROX: 345 SQ.FT) AND PLACE BACK ALL CEILING DEVICES. CONTRACTOR WILL PROVIDE AND INSTALL NEW PLUMBING PIPES FOR THE NEW TOILETS, VENT LINES AND URINAL.



**LEGEND**

- NEW METAL STUD WALL WITH 5/8\"/>
- DEMO WALL

**PRIMARY CARE PHASE III  
 EXISTING LAYOUT  
 SHEET 100**

**GENERAL NOTES (APPLIES TO ALL SHEETS):**  
 CONTRACTOR WILL MAINTAIN NEGATIVE PRESSURE, VACUUM WITH HEPA FILTER TO CLEAN OFF CLOTHES/SHOES, PROVIDE AND INSTALL PLASTIC OVER ALL RETURN AIR OPENINGS, AND STICKY MATS AT EACH ENTRANCE/EXIT TO THE CONSTRUCTION AREAS. ALL CEILING DEVICES ARE TO BE TEMPORARILY MOVED AND PLACED BACK INTO THE ORIGINAL LOCATION AFTER THE CEILING TILE AND GRID ARE INSTALLED. ALL WORK WILL BE DURING NORMAL BUSINESS HOURS, 7:30 A.M. TO 4:00 P.M., M-F UNLESS OTHERWISE APPROVED BY THE VA ENGINEER. WORK IMPACTING CORRIDOR 162 WILL NEED TO HAVE A HARD BARRIER AND CONSTRUCTION DOOR, COORDINATE WITH THE COR.