



DA SAFETY PLATFORM



DETAIL VIEW 1-1


NOTE:  
FRAME MIN 7" WIRE OR 6"/UPPER PLATFORM CASHCO 6"  
SAFETY PLATFORM FOR DA DOME/RELIEF AREA/CASHCO.  
ALL CONNECTION TO CONCRETE WITH STEEL SHALL BE HOT DIP GALVANIZED AND COLD GALVANIZED WILL BE USED FOR REPAIRS.  
ALL METAL GRATING SHALL BE PAINTED BLACK.  
ALL RAILING SHALL BE PAINTED SAFETY YELLOW.  
SUBMIT SHOP DRAWINGS ALONG WITH CALCULATIONS TO THE GOVT. FOR APPROVAL.  
REFER TO DRAWING G-103 FOR LOCATION. FOR ALL ITEMS NOTED ON THIS DRAWING C-102.

BOILER (S) PLATFORM



DETAIL VIEW 2-2


RAILING




NOTE:  
TYPICAL LAYOUT FOR SAFETY LADDER, STEPS, & HAND RAILING.  
ELIMINATE VERTICAL LADDERS.  
SAFETY PLATFORMS FOR BOILERS & ECONOMIZER'S #1/#2/#3 & STEPS ARRANGEMENTS  
THIS IS FOR GENERAL INFORMATION IS NOT TO BE USE IN CONSTRUCTION.  
CONTRACTOR TO SUBMIT SHOP DRAWINGS FOR GOVT. APPROVAL.

A.	(2) 4" h-BEAMS @ 20'	(40')
B.	(2) 6" CHANNEL IRON @ 20' EA	(40')
C.	(2) 4" A.I. @ 20' EA	(40')
HAND RAILING		
D.	(8) @ 20' EA 1/2" DIAM	(168')
E. (1) 3" X 4" I-BEAM CENTER SUPPORT OF MAIN		
(E.1) STEP LOAD HORIZONTAL RUN WITH GUSSET AS SHOWN		

ACCESS ECONOMIZER PLATFORM



Revision		Date					RECOMMEND APPROVAL		Drawing Title		Project Title		Date			Department of Veterans Affairs			
							REQUESTER		METAL WORKS & CATWALK RENOVATIONS		BOILER PLANT MODIFICATIONS		15 JAN 2013						
							CHIEF OF SERVICE				Building Number		Checked		Project No.				
							ASSOC. DIR. PATIENT CARE SVC.		Approved: Safety Manager/M&O Supervisor		Building #18		Drawn		659-13-210				
							ASSOC. DIR. FOR OPERATIONS		Approved: Chief of Facilities Management Svr.		BLF		Location		DRAWING NO.				
							APPROVAL BY:				W.G.(Bill) Hefner Medical Center		C-102		DWG. 10 OF 10				
							MEDICAL CENTER DIRECTOR				1601 Brenner Ave., Salisbury NC 28144								