

GENERAL NOTES:


- A. FOR GENERAL LEGEND AND ABBREVIATIONS RE. SDC2.0.
- B. ALL MATERIAL AND WORK SHALL COMPLY WITH THE GEOTECHNICAL ENGINEERING REPORT OF VAMC COMMUNITY LIVING CENTER AND MEDICAL IMAGING CENTER, 500 WEST FORT STREET, BOISE, IDAHO BY MATERIALS TESTING & INSPECTION, SEALED ON MAY 31, 2011, WITH FILE NUMBER 81103866.
- C. CONCRETE SIDEWALKS SHALL HAVE 3500 PSI (28 DAY STRENGTH) WITH 5% - 7% AIR ENTRAINED CONCRETE.
- D. COMPACTION SHALL COMPLY WITH THE GEOTECHNICAL REPORT.
- E. SIDEWALK SLOPES SHALL NOT EXCEED 1% IN THE DIRECTION OF TRAVEL WITHOUT HANDRAILS. CROSS SLOPE SHALL NOT EXCEED 2% IN ANY INSTANCE.
- F. ADD 2700 TO SPOT ELEVATIONS FOR TRUE ELEVATION.

SHEET NOTES:

- 1. MATCH EXISTING GRADE.
- 2. SLOPE TO MATCH EXISTING GRADE, NOT TO EXCEED 10:1.
- 3. ASPHALT CONCRETE PAVEMENT, RE. SHEET LEGEND.
- 4. 4" CONCRETE SIDEWALK PER ISPMC SD-709, RE. GENERAL NOTE E.
- 5. CONCRETE CURB AND GUTTER PER ISPMC SD-712A WITH DETECTABLE WARNING PER ISPMC SD-712. RAMP THROAT WIDTH SHALL BE 7'.
- 6. PEDESTRIAN RAMP WITH NO LANDING PER ISPMC SD-712B WITH DETECTABLE WARNING PER ISPMC SD-712.
- 7. MATCH EXISTING VALLEY GUTTER.
- 8. BUILDING SLOPES, RE. ARCHITECTURAL DRAWINGS.
- 9. 2% MAX SLOPE LANDING AREA. LENGTH AND WIDTH TO MATCH ADJOINING SIDEWALKS.
- 10. SEE ARCHITECTURAL DRAWINGS FOR HANDRAIL DETAILS.
- 11. PEDESTRIAN RAMP PER ISPMC SD-712B MID-BLOCK WITH DETECTABLE WARNING PER ISPMC SD-712.
- 12. 6" CONCRETE SIDEWALK WITH #4 REBAR 12" O.C. ON 4" 3/4" - MINUS CRUSHED BASE.


SHEET LEGEND

- CONCRETE SIDEWALK
- 3" AC ON 4" CRUSHED AG ON 12" SUBBASE ON 12" COMPACTED SUBGRADE. REFER TO GEOTECHNICAL REPORT.



1 GRADING AND DRAINAGE PLAN

SCALE: 1"=20'-0" TRUE NORTH PROJECT NORTH



REVISIONS		DATE

CSHOA

C.W. MOORE PLAZA
250 S. 6TH ST. BOISE, ID 83702
(208) 343-4635 FAX (208) 343-1658
http://www.cshoa.com

JOHN D. CHAUD, P.E.
C.W. MOORE PLAZA
BOISE, IDAHO
PHONE 208-343-4635 FAX 208-343-1658

THESE DRAWINGS AND SPECIFICATIONS, AS INSTRUMENTS OF SERVICE, ARE THE PROPERTY OF CSHOA. THEY ARE TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. NO PART OF THESE DRAWINGS OR SPECIFICATIONS SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF CSHOA OR ITS AFFILIATES. Copyright © 2011



CAD FILE NAME:
531-319_SDC2.1.DWG
XREF FILE NAME:
531-319_XSD_XSD_SDC2.1.DWG
531-319_XSD_XSITE.DWG
531-319_XSITE.DWG

DRAWING TITLE
GRADING AND DRAINAGE
PLAN

PROJECT TITLE BOISE VAMC NEW EXTENDED CARE UNIT SITE DEVELOPMENT	
BUILDING NUMBER 121 & 122	CHECKED JDC
DRAWN JDC	
LOCATION VAMC BOISE, IDAHO	

DATE 12/01/2011	
PROJECT NO. 531-319	
DRAWING NO. SDC2.1	
DWG 05 OF 12	

