

DOOR SCHEDULE

| DR # | ROOM NAME | W X H | THK | TYPE | MATERIAL | GLASS | RATING | REMARKS |
|-------|-----------------|--------|--------|------|----------|-------|-----------|---|
| A-450 | SURGERY OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | REUSE 1ST LOCKSET, RETURN 2ND LOCKSET TO VA, REUSE KICK PLATE |
| B-422 | SCRUB ROOM | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | RETURN LOCKSET TO GOVERNMENT |
| A-601 | MEDICAL SERVICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | REUSE CYPHER LOCKSET |
| A-634 | ELECTRIC CLOSET | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-635 | COMM CLOSET | VERIFY | VERIFY | C* | WOOD | -- | 90 MINUTE | DOUBLE DOOR W/ NO DOOR LITES, NEW TAMPERPROOF HINGES |
| A-637 | HVAC | VERIFY | VERIFY | C* | WOOD | -- | 90 MINUTE | DOUBLE DOOR W/ NO DOOR LITES |
| A-646 | ELECTRIC CLOSET | VERIFY | VERIFY | C* | WOOD | -- | 90 MINUTE | DOUBLE DOOR W/ NO DOOR LITES |
| A-642 | DUMBWAITER | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | REMOVE DOOR HOLDER, NEW SWING CLEAR HINGES |
| P-1 | ELEVATOR DOOR | -- | -- | -- | METAL | -- | -- | SPRAY PAINT DOOR AND TRIM, LOW VOC |
| P-2 | ELEVATOR DOOR | -- | -- | -- | METAL | -- | -- | SPRAY PAINT DOOR AND TRIM, LOW VOC |
| P-3 | ELEVATOR DOOR | -- | -- | -- | METAL | -- | -- | SPRAY PAINT DOOR AND TRIM, LOW VOC |
| P-4 | ELEVATOR DOOR | -- | -- | -- | METAL | -- | -- | SPRAY PAINT DOOR AND TRIM, LOW VOC |
| S-5 | ELEVATOR DOOR | -- | -- | -- | METAL | -- | -- | SPRAY PAINT DOOR AND TRIM, LOW VOC |
| S-6 | ELEVATOR DOOR | -- | -- | -- | METAL | -- | -- | SPRAY PAINT DOOR AND TRIM, LOW VOC |
| 7TH | HALL | VERIFY | VERIFY | B | WOOD | YES | 90 MINUTE | DEMO ACM DOOR. NEW 90 MIN DOOR W/ FIRE GLAZING LITES |
| B-704 | SOILED UTILITY | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| B-705 | RESTROOM | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| B-712 | GROUP ROOM | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| B-713 | RESTROOM | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| 7TH | HALL | VERIFY | VERIFY | C | WOOD | YES | 90 MINUTE | DEMO ACM DOOR. NEW 90 MIN DOOR W/ FIRE GLAZING LITES |
| 8TH | HALL | VERIFY | VERIFY | C | WOOD | YES | 90 MINUTE | 90 MIN DOOR W/ FIRE GLAZING LITES |
| A-835 | CHAPLAIN'S OFF | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-836 | ORG PERF | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-837 | INFECTION CONT | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-838 | INFECTION CONT | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-839 | UM MANAGER | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-841 | PATIENT SAFETY | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-842 | ACA COORD | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | DEMO FLOOR PLATE. INSTALL NEW CONTINUOUS HINGE. |
| A-843 | CHIEF STRAT MGT | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-844 | PRGM ANALYST | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-845 | PIPE CHASE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-846 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | DEMO FLOOR PLATE. INSTALL NEW CONTINUOUS HINGE. |
| A-847 | CONF ROOM | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-848 | DATA VALID | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-849 | MULTIPURPOSE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-850 | ELECTRIC CLOSET | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-851 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-852 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-853 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-860 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-861 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-862 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-863 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-864 | COMM CLOSET | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | NEW TAMPERPROOF HINGE |
| A-865 | OFFICE | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-866 | CHAPLAIN'S OFF | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |
| A-867 | CHAPLAIN'S OFF | VERIFY | VERIFY | A | WOOD | -- | 90 MINUTE | |

GENERAL DOOR SCHEDULE NOTES

- WOOD - WOOD DOORS ARE FLUSH ROTARY BIRCH, PRE FINISHED CLEAR, 90 MINUTE FIRE RATED, PREFIT, PRE MATCHED.
- DOOR OUTSIDE - 34" ARMOR PLATE, STAINLESS STEEL.
- DOOR INSIDE - 8" MOP PLATE, STAINLESS STEEL.
- LOCKSETS - ALL NEW, BEST 93K WITH LEVER TYPE HANDLES.
- HINGE TO MATCH TO EXISTING DOOR FRAME EXCEPT WHERE NOTED AS CONTINUOUS HINGE.
- NEW DOORS TO FIT IN EXISTING DOOR FRAMES.
- DOOR CLOSURES - LCN 4041 WITH REGULAR ARM. USE WHERE EXISTING.
- DEAD BOLT - BEST 82T. USE WHERE EXISTING.
- USE FIRE RATED GLAZING FOR DOOR LITES, 90 MINUTE.
- PROVIDE NEW LOCKSET CORES TO THE VA TO BE REKEYED.
- ACM - ASBESTOS CONTAINING MATERIALS
- * DOUBLE DOOR HAS NO GLAZING.

HALLS AND WALLS 2013
603-13-701
25 MARCH 2013
Addendums:
A1 - 9 MAY 2013

