



GRAPHIC LEGEND	
	AREA NOT IN CONTRACT
	DASHED LINE DENOTES ITEM TO BE DEMOLISHED
	KEY NOTE
DEMOLITION GENERAL NOTES	
<p>A. CONTRACTOR TO VERIFY ALL DIMENSIONS AND CONDITIONS AT JOBSITE. PORTION OF EXISTING CONSTRUCTION MAY HAVE BEEN REMOVED BY OWNER.</p> <p>B. CONTRACTOR TO VERIFY EXACT COMPOSITION OF WALLS TO BE REMOVED.</p> <p>C. MAINTAIN CONTINUOUS UTILITY SERVICE TO ALL SPACES IN THE BUILDING NOT AFFECTED BY THIS WORK. COORDINATE WITH OWNER ANY DISRUPTION IN SERVICES REQUIRED TO PERFORM WORK OR TO MODIFY EXISTING PIPING, DUCTWORK OR ANY ASSOCIATED EQUIPMENT.</p> <p>D. COORDINATE WITH ABATEMENT DRAWINGS FOR LOCATION & REMOVAL OF ASBESTOS CONTAINING MATERIAL.</p> <p>E. REFER TO PLUMBING, HVAC AND ELECTRICAL PLANS FOR ADDITIONAL DEMOLITION ITEMS AND NOTES. COORDINATE WORK WITH PLUMBING, HVAC AND ELECTRICAL REQUIREMENTS.</p>	
KEY NOTES	
①	REMOVE EXISTING PARTITION. REFER TO M.E.P.T. DRAWINGS FOR RELATED WORK.
②	REMOVE EXISTING DOOR & FRAME.
③	REMOVE PORTION OF EXISTING PARTITION AS REQ'D FOR NEW DOOR OPENING.
④	REMOVE EXISTING ATC & GRID - INCLUDING ALL SUPPORT HANGERS & WIRES. SEE MEPT DRAWINGS FOR RELATED WORK.
⑤	REMOVE EXISTING FLOOR FINISH & WALL BASE - INCLUDING ALL ADHESIVES AND/OR MORTAR. PREPARE SURFACE TO RECEIVE NEW FINISH. SEE NEW FINISH PLANS.
⑥	REMOVE EXISTING VIEWING WINDOW & FRAME
⑦	REMOVE EXISTING ACCESS FLOORING SYSTEM COMPLETELY
⑧	REMOVE EXISTING CASEWORK
⑨	REMOVE EXISTING WALL COVERING - PATCH AND/OR REPAIR AS REQUIRED FOR NEW FINISH.
⑩	REMOVE FLOORING TO CENTERLINE OF DOORWAYS - TYPICAL AT CORRIDORS U.N.O.
⑪	BID ALTERNATE #1 REMOVE EXISTING CORRIDOR WALL COVERING WHERE INDICATED. REMOVE EXISTING CORRIDOR HANDRAILS, WALL GUARDS & CORNER GUARDS WHERE INDICATED
⑫	BID ALTERNATE #2 REMOVE EXISTING FLOOR SINK AND ASSOCIATED FILM PROCESSING PLUMBING COMPLETELY PATCH / REPAIR FLOOR & WALL AS REQUIRED TO RECEIVE NEW FINISH
⑬	DEMOLISH EXISTING VINYL INSERT AT CONTROL JOINT
KEY PLAN	
<div style="display: flex; align-items: center; justify-content: space-around;"> <div style="text-align: right;"> BUILDING 111 SECOND FLOOR </div> </div>	

[illegible]