

TEMPORARY SIGNAGE NOTES:

1. CONTRACTOR TO PROVIDE ALL NECESSARY CONSTRUCTION AREA SIGNAGE TO BE ATTACHED TO TEMPORARY CONSTRUCTION CHAINLINK FENCING. COORDINATE WITH COR.
2. ALL TEMPORARY SIGNAGE AND TRAFFIC MEASURES SHALL ADHERE TO THE STANDARDS AND CODES OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS OF THE UNITED STATES DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION.
3. ALL SIGNS SHALL BE CONVENTIONAL ROAD SIZE AS PER MUTCD STANDARDS UNLESS OTHERWISE NOTED.
4. ALL SIGNS SHALL BE MANUFACTURED WITH RUST FREE ALUMINUM LAMINATED WITH ENGINEERING GRADE REFLECTIVE (TYPE II).
5. ALL SIGNS SHALL HAVE A WHITE BACKGROUND WITH A BLACK LEGEND AND BORDER UNLESS OTHERWISE STATED ON DRAWINGS OR IN MUTCD MANUAL FOR A SPECIFIC SIGN.
6. SIGNS SHALL BE CONSTRUCTED AS SHOWN ON APPROPRIATE MUTCD STANDARD SHEETS AND MANUFACTURER'S DRAWINGS.
7. PANELS AND STIFFENER DIMENSIONS, SPACING AND PANEL TO STIFFENER CONNECTION DETAILS SHALL BE AS SHOWN ON THE MUTCD 'SIGN BLANK DETAILS' STANDARD SHEET.
8. BRACKETS SHALL BE MOUNTED WITH THE SAME POST CONNECTION VERTICAL SPACING AS SHOWN ON THE MUTCD 'SIGN BLANK DETAILS' STANDARD SHEET.
9. REFER TO NY'S DOT FOLE-MOUNTED SIGNS DETAILS FOR SIGN MOUNTING DETAIL AND INFORMATION.
10. ALL TEMPORARY TRAFFIC SIGNS SHALL BE LOCATED AS ORDERED BY THE COR.
11. ALL TEMPORARY SIGNAGE TO BE MOUNTED ON HEAVY DUTY BASES, HIFRO350 BASES USED WITH A PAIR OF 8" U-CHANNEL OR SQUARE F0675, HIFRO350 SERIES 33 (33"x60" BASE) OR APPROVED EQUAL.

TEMPORARY SIGNAGE MATRIX - STRATTON VA MEDICAL CENTER - REPAIR HOT WATER LINES PHASE III					
SIGN TYPE	QTY.	SIZE	VA SIGN TYPE	DESCRIPTION/COLOR	COMMENTS
A' SIGNAL AHEAD	2	24"x24"	X-W3-3a	REFLECTORIZED YELLOW BACKGROUND WITH BLACK LETTERING AS MANUFACTURED BY MYCONSTRUCTIONSIGNS.COM, 1800.952.1451	ALL SIGNS SHALL MEET ALL MUTCD STANDARDS
B' BE PREPARED TO STOP	2	18"x24"	K-8336	REFLECTORIZED ORANGE BACKGROUND WITH BLACK LETTERING AS MANUFACTURED BY MYCONSTRUCTIONSIGNS.COM, 1800.952.1451	ALL SIGNS TO ADHERE TO STRATTON VA NON-ILLUMINATED EXTERIOR SIGNS STANDARDS
C' ONE LANE ROAD 250FT	2	36"x36"	K-1233	REFLECTORIZED ORANGE BACKGROUND WITH BLACK LETTERING AS MANUFACTURED BY MYCONSTRUCTIONSIGNS.COM, 1800.952.1451	
D' SIDEWALK CLOSED	1	12"x18"	X-R9-9	REFLECTORIZED WHITE BACKGROUND WITH BLACK LETTERING AS MANUFACTURED BY MYCONSTRUCTIONSIGNS.COM, 1800.952.1451	

TEMPORARY TRAFFIC NOTES:

1. TEMPORARY BARRIERS, IF USED, MUST MEET ALL MUTCD SPECIFICATION STANDARDS FOR BARRIERS.
2. TEMPORARY BARRIERS TO BE ONE OF THE FOLLOWING:
 - A. YELLOW PLASTIC 'JERSEY' BARRIERS (MUST MEET MUTCD SPECIFICATION STANDARDS)
 - B. ORANGE ROAD CONSTRUCTION BARRELS (MUST MEET MUTCD SPECIFICATION STANDARDS)
 - C. TEMPORARY CONCRETE BARRIERS (MUST MEET MUTCD SPECIFICATION STANDARDS)
 - D. ORANGE CONSTRUCTION TRAFFIC CONES (MINIMUM HEIGHT: 18", REFLECTIVE COLLAR, BLACK BASE, MUST MEET MUTCD SPECIFICATION STANDARDS)
3. TYPE OF TEMPORARY BARRIER, IF REQUIRED, TO BE APPROVED BY COR.

PORTABLE TRAFFIC SIGNAL NOTES:


1. PORTABLE TRAFFIC SIGNAL TO BE MODEL, OMIC SIGNAL POP-UP IIZ WITH MICROFORCE DC WORKZONE TRAFFIC CONTROLLER AS RENTED THROUGH OMIC SIGNAL, INC. 1800.716.9999, OR APPROVED EQUAL.
2. TRAFFIC SIGNAL TO MEET MUTCD STANDARDS.

PARKING LEGEND

- EXISTING CONCRETE CURB TO REMAIN
- EXISTING MANHOLE TO REMAIN
- EXISTING ROAD BASIN TO REMAIN
- EXISTING HYDRODYNAMIC SEPARATOR TO REMAIN
- EXISTING TREE TO REMAIN
- PROPOSED DECIDUOUS TREE
- EXISTING FIRE HYDRANT AND BOLLARDS TO REMAIN
- PROTECT EXISTING VEGETATION TO REMAIN
- EXISTING SITE FEATURE TO BE REMOVED COMPLETE
- APPROXIMATE LOCATION OF CHILLER PIPING TUNNEL
- PORTION OF NEW CHILLER PIPING TUNNEL TO BE COMPLETED UNDER SEPARATE VA PROJECT (TUNNEL PHASE 2)
- ALIGNMENT OF NEW CHILLER PIPING TUNNEL
- NEW CONCRETE CURB
- STAGING AREA-- TO BE COORDINATED WITH COTR
- TEMPORARY TRAFFIC SIGNS
- TEMPORARY CONSTRUCTION FENCING


1 PART 1 - PROJECT TRAFFIC AND PARKING REQUIREMENTS PLAN

L1.4 SCALE: 1"=20'-0"



2 PART 2 - PROJECT TRAFFIC AND PARKING REQUIREMENTS PLAN

L1.4 SCALE: 1"=20'-0"




UNREVIEWED FINAL DESIGN (100%)
NOT FOR CONSTRUCTION

CONSULTANTS:

FRIEDMAN FISHER ASSOCIATES, P.C.
Quality Service Since 1944
CONSULTING ENGINEERS
22 Aviation Road, Albany, NY 12205
TEL: (518) 456-7040 FAX: (518) 456-7043
mail@friedmanfisher.com

EBERLIN AND EBERLIN, P.C.
31 SODOM ROAD, BREWSTER, NEW YORK 10809
CONSULTING ENGINEERS, PLANNERS, LANDSCAPE ARCHITECTS
845.582.0359 PHONE 845.279.2062 FAX

RYAN-BIGGS ASSOCIATES, P.C.
257 Waters Road
Clifton Park, NY 12005 P 518 406-5506
www.ryanbiggs.com F 518 406-5514



ARCHITECT/ENGINEERS:

Hyman Hayes
ASSOCIATES

6 WEMBLEY COURT, ALBANY, NEW YORK 12205
(518) 452-3470 (518) 452-3783 Fax

HHA Proj. 12072

Drawing Title
**PROJECT TRAFFIC AND PARKING
REQUIREMENTS PLAN**

Approved Project Director

Project Title
**REPAIR HOT WATER LINES
PHASE III
Stratton VA Medical Center**

Location
Albany, New York

Date
MARCH 20, 2015

Checked
RT

Drawn
LGJ

Project Number
VA 528A8-10-814

Building Number
-

Drawing Number
L1.4

Dwg. 5 of 18

Office of
Construction
and Facilities
Management

Department of
Veterans Affairs