

 PRE-CAST CONCRETE MANHOLE  
FOR 36" DIA. & SMALLER

2 15" NYLOPLAST INLINE DRAIN  
C601

1. ALL ROOF/BUILDING DRAINS MUST BE TRAPPED PRIOR TO TAPPING CONVEYANCE SYSTEM
2. COORDINATE WITH PLUMBING DRAWINGS AND SPECIFICATIONS.

4 UNDERGROUND PIPE OR CONDUIT BACKFILL

**NOTES:**

1. PROVIDE EXPANSION JOINTS @ 20'-0" C.C.
2. PROVIDE MATERIALS AND CONSTRUCTION MEETING THE REQUIREMENTS OF PUBLICATION 408, SECTION 630 FOR PLAIN CEMENT CONCRETE CURB AND DERESSED CURB. SECTION 640 FOR PLAIN CEMENT CONCRETE CURB GUTTER.

6  
C601

7 ADA RAMP LAYOUT

"D" = DIMENSION OF PLANT SPACING ( SHRUB, GROUNDCOVER OR PERENNIAL ) AS INDICATED ON PLANS.

**NOTES:**

1. DO NOT PRUNE EVERGREENS EXCEPT TO REMOVE DEAD AND BROKEN BRANCHES.

PLANTING MIXES:

A. PLANTING MIXTURE TYPE 1, FOR DECIDUOUS TREES AND SHRUBS SHALL BE IN THE PROPORTION OF FOUR PARTS BY VOLUME OF TOPSOIL AND ONE PART BY VOLUME OF PEAT MOSS PLUS ONE POUND OF 10-6-4 FERTILIZER PER CUBIC YARD. ALL THOROUGHLY MIXED BY HAND OR ROTARY MIXER ON SITE.

PLANTING NOTES:

1. ALL PLANTS INDICATED ON PLANS SHALL BE GROWN  
IN CLIMATES SIMILAR TO PROJECT AREA.

2. A 3" THICK SHREDDED HARDWOOD MULCH SHALL BE PROVIDED IN ALL PLANTING BEDS CONTAINING SHRUBS.

3. VERIFY DEPTH TO BEDROCK IN EACH PLANTING BED AND/OR TREE RING. NOTIFY OWNER'S REPRESENTATIVE IF PROPER DRAINAGE WILL NOT BE ACHIEVED.

4. IN THE EVENT THAT A PROPOSED PLANT SPECIES CANNOT BE ACQUIRED, THE PROPOSED PLANT SPECIES SHALL ONLY BE SUBSTITUTED WITH AN EQUIVALENT NATIVE SPECIES APPROVED BY THE PROJECT LANDSCAPE ARCHITECT.

[illegible]



## CONSULTANTS:



8150 Perry Highway, Suite 302  
Pittsburgh PA, 15237  
Phone: 412-369-9020  
Contact: Mark Sipos



The Gateway Engineering, Inc.  
A Full Service Civil Engineering Firm  
400 Holiday Drive, Suite 300  
Pittsburgh PA, 15220  
Phone: 412-921-4030  
Contact: Sean Donnelly



Contact: Dave Rusbarsky

## ARCHITECT/ENGINEERS:



**architecture  
planning  
interior design**  
IKM Incorporated  
One PPG Place  
Pittsburgh, PA 15222  
Phone: 412-281-1337  
Contact: Joe Obritz

IKM Project No. 12-047

Drawing Title	SITE DETAILS
---------------	--------------

Approved: Project Director

Project Title

**AMBULATORY SURGERY  
ADDITION REDESIGN**

Location	VAMC 135 EAST 38th STREET, ERIE PENNSYLVANIA
----------	---

Date  
12 MAR 2013

Checked	Draw
---------	------


Project Number  
562-311

Building Number

Drawing Number	
----------------	--

Dwg. 7 of 86

Office of  
Construction  
and Facilities  
Management



FINAL DRAWING SUBMISSION (100%)  
FULLY SPRINKLERED