


COMPONENT	REMOVAL METHOD
 LEAD-BASED PAINT ON WINDOWS	1
 LEAD-BASED PAINT ON COLUMNS	1
 LEAD-BASED PAINT ON CORNER GUARDS	1
 LEAD-BASED PAINT ON DOORS	1
 LEAD-BASED PAINT ON STAIR RAILING	1
 LEAD-BASED PAINT FLOOR & WALLS	2
 LEAD-BASED PAINT ELEVATOR DOOR FRAME	1

REMOVAL METHOD
 1. REMOVE LEAD-BASED PAINT UTILIZING CHEMICAL STRIPPING AND/OR ABRASIVE BLASTING METHODS THAT ARE COMPATIBLE WITH SUBSTRATE.
 2. STABILIZE LEAD-BASED PAINT AND REPAINT BY OTHERS



LEVEL TWO FLOOR PLAN

No.	Revisions:	Date
	BID DOCUMENTS	3-08-2013



Drawing Title
LEAD-BASED PAINT REMEDIATION PLANS
 LEVEL TWO FLOOR PLAN
 Approved: Project Director

Project Title
 LEAD ABATEMENT REMEDIATION PLAN
 Location
 FORT SHELLENG, MINNEAPOLIS, MN
 Date
 3-08-2013
 Checked
 Drawn

Project Number
 618-12-303
 Building Number
 222
 Drawing Number
 Dwg 3 of 15

