



P177 - VA Hines - Old Office and Bathroom Design CD - 04-12-13.dwg, 4/15/2013 11:24:48 AM, dwg

one eighth inch = one foot  
one quarter inch = one foot  
three eighths inch = one foot  
one half inch = one foot  
three quarters inch = one foot  
one inch = one foot  
one and one half inches = one foot  
two inches = one foot  
three inches = one foot



**1 PARTIAL FIRST FLOOR PLUMBING PLAN**  
SCALE: 1/8" = 1'-0"



**2 PARTIAL FIRST FLOOR PLUMBING PLAN**  
SCALE: 1/8" = 1'-0"

## KEYNOTES

22.100 PROVIDE SANITARY PIPE TO 4-INCH SANITARY LOCATED NEAR LAUNDRY AT COLUMN 6-15, APPROXIMATELY 120'.


## ROOM SCHEDULE

RM. NO.	ROOM NAME	RM. NO.	ROOM NAME
153E 153F	WOMEN'S TOILET MEN'S TOILET		
154A 154B 154C 154D 154E	OPEN OFFICE OFFICE OFFICE KITCHENETTE CONFERENCE ROOM		
155 155A 155B	VESTIBULE MAINTENANCE OFFICE AREA MAINTENANCE WORKSHOP/STORAGE AREA		

## GENERAL NOTES

- REFER TO DRAWING 37-0001 FOR PROJECT GENERAL NOTES.
- REFER TO DRAWING 37-0003 FOR KEYNOTE DESCRIPTIONS NOT APPEARING ON THIS DRAWING.
- ALL SANITARY, WASTE AND STORM PIPES UP TO AND INCLUDING 3 INCHES SHALL SLOPE AT 1/4 INCH PER FOOT, 4 INCHES AND LARGER SHALL SLOPE AT 1/8 INCH PER FOOT, UNLESS OTHERWISE NOTED.
- ALL PIPING IS SHOWN DIAGRAMMATICALLY AND DOES NOT SHOW ALL OFFSETS, DROPS AND RISES. THE CONTRACTOR IS RESPONSIBLE TO PROVIDE ALL MATERIAL AND LABOR FOR A COMPLETE AND WORKING SYSTEM.
- OBTAIN AND PAY ALL COSTS FOR PERMITS, LICENSES, CERTIFICATE FILING AND INSPECTIONS BY AUTHORITIES HAVING JURISDICTION.
- EXISTING PIPING INDICATED ON THESE PLANS SHALL BE FIELD VERIFIED FOR EXACT LOCATIONS, QUANTITY AND PIPE SIZES. DIFFERENT PIPE SIZES THAN SHOWN SHALL BE REPORTED TO THE ENGINEER.
- DO NOT CUT THROUGH THE MASONRY BOND BEAMS OR OTHER STRUCTURAL ELEMENT WHEN INSTALLING OPENINGS REQUIRED FOR PIPING, CONDUITS OR OTHER WORK. CONTRACTOR CUTTING THROUGH OR OTHERWISE DAMAGING THESE ELEMENTS WILL BE RESPONSIBLE FOR ALL ASSOCIATED ENGINEERING FEES AND SUBSEQUENT RETRO-FIT/REINFORCING DEEMED NECESSARY TO REINSTATE THE CONTINUITY OF THE DISRUPTED ELEMENTS.
- COORDINATE ROUGH-INS FOR AND INSTALLATION OF PLUMBING FIXTURES WITH ACCESSIBILITY AND MOUNTING INFORMATION CONTAINED ON ARCHITECTURAL DRAWINGS.
- COORDINATE LOCATIONS OF ROUGH-INS FOR SINKS WITH CASEWORK ELEVATIONS CONTAINED ON ARCHITECTURAL DRAWINGS.


## KEY PLAN



## CONSULTANTS:

## ARCHITECT/ENGINEERS:

**Kluber, Inc.**  
10 South Shumway  
Batavia, Illinois 60510  
tel. 630.406.1213  
fax 630.406.9472  
www.kluberinc.com



## Drawing Title

PARTIAL FIRST FLOOR PLUMBING PLANS

## Approved: Project Director

Project Title  
**HINES BUILDING 37  
O.I. AND T. FIELD OFFICES - PHASE 3  
OFFICE AND RESTROOM RENOVATIONS**

## Location

VA OFFICE OF ACQUISITION AND LOGISTICS  
HINES, ILLINOIS

## Date

04-12-13

## Checked

DDW

## Drawn

DDW

## Project Number

796-13-004

## Building Number

37

## Drawing Number

37 - P301

Dwg. 18 of 32

Office of  
Construction  
and Facilities  
Management

