

5 A9.1 H.M. DOOR- HEAD
SCALE: 1 1/2" = 1'-0"



6 A9.1 H.M. DOOR- JAMB
SCALE: 1 1/2" = 1'-0"

DOOR AND FRAME SCHEDULE

DOOR NO.	HDWR. SET	DOOR SIZE	LABEL	DOOR TYPE	DOOR MATL	DOOR FINISH	FRAME TYPE	FRAME MATL	FRAME FINISH	DETAILS HEAD	DETAILS JAMB	NOTES
214	1	3'-0" X 7'-0" X 1 3/4"		A	S.C. WD.	WS-1	1	H.M.		5/A9.1	6/A9.1	
214A	2	3'-0" X 6'-0" X 1 3/4"		B	S.C. WD.	WS-1	1	H.M.		5/A9.1	6/A9.1	NOTE 1
215	1	3'-0" X 7'-0" X 1 3/4"		A	S.C. WD.	WS-1	1	H.M.	PT-6 DOOR SIDE, PT-2 CORRIDOR SIDE	5/A9.1	6/A9.1	
215A	2	3'-0" X 6'-0" X 1 3/4"		B	S.C. WD.	WS-1	1	H.M.		5/A9.1	6/A9.1	NOTE 1

GENERAL DOOR NOTES:
A. VERIFY WALL TYPE AND WIDTH FOR ALL DOOR FRAMES.
B. PROVIDE VERTICAL GYP.BD. EXPANSION JOINTS ABOVE ALL NEW DOOR FRAMES AT EACH CORNER.
C. PROVIDE SMOKE/ AIR PRESSURE SEALS AT ALL SMOKE RATED OPENINGS.
D. VERIFY EXISTING FRAME WIDTH, HEIGHT, PROFILES, AND HINGE SIZE.
E. ALL WOOD TRIM, CASING, AND OTHER MOLDINGS TO BE CLEAR WHITE BIRCH.
F. SEE 3/A6.1 FOR CONTROL JOINTS AT NEW AND EXISTING DOORS.

DOOR SCHEDULE NOTES:
NOTE 1: MATCH HOLLOW METAL FRAME STOP TO HEIGHT OF DOOR.

ABBREVIATIONS:

EX./ EXG	EXISTING
H.M.	HOLLOW METAL
WS	WOOD STAIN
S.C. WD.	SOLID CORE WOOD
PT	PAINT
F.V.	FIELD VERIFY



A WOOD SOLID CORE
B WOOD SOLID CORE

DOOR TYPES
SCALE: 1/4" = 1'-0"



DOOR FRAME TYPES
SCALE: 1/4" = 1'-0"



WINDOW TYPES
SCALE: 1/4" = 1'-0"

TYPICAL CASEWORK NOTES:
NOTES TYPICAL ALL SHEETS

1. PROVIDE SOLID WOOD BLOCKING OR STEEL BACKING PLATE AS REQUIRED FOR UPPER WALL CABINETS.
2. ALL EXPOSED TO VIEW WALL CLEATS TO BE PLAM.
3. ALL EXPOSED TO VIEW FASTENERS TO BE CHROME PLATED OVAL HEADS SCREWS WITH CHROME COUNTERSUNK WASHERS, EQUALLY SPACED AND CENTERED.
4. CONTRACTOR TO FIELD VERIFY ALL EQUIPMENT AND APPLIANCES PRIOR SUBMITTAL OF SHOP DRAWINGS AND FABRICATION.
5. SEE INTERIOR COLOR KEY FOR THICKNESS OF SOLID SURFACE MATERIAL AT BACKSPLASHES AND COUNTERTOPS.
6. CASEWORK FABRICATOR TO PROVIDE ADEQUATE COUNTERTOP SUBSTRATE TO SPAN DISTANCES INDICATED ON DRAWINGS.



3 A9.1 SECTION
SCALE: 1" = 1'-0"



4 A9.1 COUNTERTOP NOSING
NTS
AT SOLID SURFACE



2 A9.1 INTERIOR ELEVATION
SCALE: 3/8" = 1'-0"



1 A9.2 INTERIOR ELEVATION
SCALE: 3/8" = 1'-0"





Revisions:	Date

© 2012 Calvin L. Hinz Architects P.C.
These plans are specifically designed for construction by Calvin L. Hinz Architects and are intended for no other purposes. Permission for use of this document in part or whole without written consent of Calvin L. Hinz Architects is prohibited.

IMPORTANT CONTRACTOR'S NOTE
1. ALL CONTRACTORS ARE RESPONSIBLE FOR REVIEWING ENTIRE SET OF DOCUMENTS TO DETERMINE THEIR FULL SCOPE OF WORK. CONTRACTOR SHALL NOT BE ALLOWED EXTRA COSTS DUE TO FAILURE TO REVIEW ENTIRE SET OF DOCUMENTS.
2. ANY USE OF THESE ELECTRONIC DRAWINGS OR SCALING OF THE PRINTED DOCUMENTS ARE DONE SO AT THE CONTRACTORS RISK.

ARCHITECT CALVIN L. HINZ A-1793 STATE OF NEBRASKA

ARCHITECT/ENGINEERS:
CLH Calvin L. Hinz ARCHITECTS PC
Calvin L. Hinz Architects, P.C.
3705 North 200th Street
Elkhorn, Nebraska 68022
Phone:402.291.6941 Fax: 402.291.9193

KRS ENGINEERING
11630 ARBOR STREET SUITE 100
OMAHA, NEBRASKA 68144
PHONE: 402 . 932 . 0100
FAX: 402 . 932 . 1001
www.krsengineering.com
KRS # KRSNO

COPYRIGHT 2011
This document and the information contained may not be reproduced without the express written permission of KRS Engineering, LLC. Unauthorized copying, disclosure or construction use are prohibited by the copyright law.

Drawing Title: INTERIOR ELEVATIONS, CASEWORK SECTIONS, DOOR SCHEDULE, DOOR AND WINDOW TYPES AND DOOR DETAILS

Approved: Project Director: KEVIN HUTSELL

CONSTRUCTION DOCUMENT (CD-3) SUBMITTAL (100%) December 31, 2012

Project Title: RENOVATE 2ND FLOOR RESTROOMS GI NWIHCS

Location: VAMC Grand Island, NE

Date: DECEMBER 31, 2012 | Checked: CH/ MK | Drawn: RB

Project Number: 636-13-135

Building Number: ONE

Drawing Number: A9.1

Dwg. 4 of 11

Office of Construction and Facilities Management

Department of Veterans Affairs

P:\Projects - Active\2012-02 VA GI Specialty Clinic- Canteen Backfill\03s-Arch\refcrow 123112\CAD drawings\A9.1.dwg 12-27-12 03:17:43 PM rblock

VA FORM 08-6231