


- ROOF FRAMING PLAN NOTES:**
1. TYPICAL ROOF FRAMING CONSISTS OF 1 1/2"x22GA TYPE B METAL ROOF DECK OVER STEEL JOISTS AND STEEL SYSTEM SHALL SLOPE TO FORM MULTILEVEL SLOPE SHED ROOF.
 2. TOP OF STEEL AT EACH COLUMN LINE IS INDICATED THUS: TOS=X'-0" AND MEASURED FROM DATUM 0'-0". TOP OF STEEL IS DEFINED AS BOTTOM OF METAL DECK.
 3. STEEL BEAMS PLACED BELOW TOP OF STEEL ARE NOTED THUS (-X").
 4. TOP OF STEEL BEAMS LOCATED BELOW MAIN ROOF FRAMING IS NOTED ON PLAN THUS: TOB=X'-X" AND MEASURED FROM DATUM 0'-0".



MATCH LINE
DWG. S104

FINAL SUBMISSION
APRIL 9, 2013

A
S103
ROOF FRAMING PLAN
1/4" = 1'-0"



 766 MIDDLE ST., FAIRHOPE, AL 36532 251-999-5778 ARCH. & ENGR. SEAL 	NATURAL RESOURCES & ENVIRONMENTAL AFFAIRS SATISFACTORY TO DATE	P.W. DWG. NO.	DEPARTMENT OF THE NAVY NAVAL FACILITIES ENGINEERING COMMAND PANAMA CITY, FLORIDA CONSTRUCT NAVAL BRANCH HEALTH CLINIC PANAMA CITY ROOF FRAMING PLAN SIZE F HQC PROJ. NO. 520-13-200 SCALE 1/4"=1'-0"	
	SAFETY DEPARTMENT SATISFACTORY TO DATE	DRAWN BY KM		CODE IDENT. NO. N/A
	FIRE DEPARTMENT SATISFACTORY TO DATE	CHECKED BY NB		CONSTR. CONTR. NO.
	PUBLIC WORKS SUPERVISOR SATISFACTORY TO DATE	SUPERVISOR WWB		MACC.
APPROVED DATE		PUBLIC WORKS OFFICER	T.O.# SHEET 4 OF 10	

S103