


NOTES:
1. RISER DIAGRAM IS INTENDED AS A SCHEMATIC AND MAY NOT REPRESENT THE ACTUAL PHYSICAL LOCATION OR CORRECT GRAPHIC REPRESENTATION OF FIXTURES TO BE INSTALLED. PLEASE REFER TO THE PLUMBING PLANS AND SCHEDULE FOR MORE INFORMATION.
2. USE WASTE WATER FROM LAVATORY AS PRIMER FOR FLOOR DRAINS.
3. SS CLEANOUTS TO BE INSTALLED EVERY 50 FEET AND IN TURNS OF 45° OR GREATER.



FINAL SUBMISSION
APRIL 9, 2013

IF SHEET IS LESS THAN (30"x42") IT IS
A REDUCED PRINT; SCALE ACCORDINGLY

P601

1 PLUMBING RISER DIAGRAM - SANITARY SEWER



BES
DESIGN/BUILD
766 MIDDLE ST., FARMHSE, AL 36532 251-990-5778
ARCH. & ENGR. SEAL
FLORIDA
BES
DESIGN/BUILD
LLC
No. 22795
FLORIDA
PROFESSIONAL ENGINEER

NATURAL RESOURCES & ENVIRONMENTAL AFFAIRS	P.W. DWG. NO.
SAFETY DEPARTMENT	DRAWN BY JLL
FIRE DEPARTMENT	CHECKED BY WWB
PUBLIC WORKS SUPERVISOR	SUPERVISOR WWB
	APPROVED DATE
	PUBLIC WORKS OFFICER

DEPARTMENT OF THE NAVY NAVAL SUPPORT ACTIVITY PANAMA CITY, FLORIDA	NAVAL FACILITIES ENGINEERING COMMAND NAVAL SUPPORT ACTIVITY PANAMA CITY, FLORIDA
CONSTRUCT NAVAL BRANCH HEALTH CLINIC PANAMA CITY	PLUMBING SS RISER DIAGRAM
SIZE F	CODE IDENT. NO. N/A
HMHC PROJ. NO. 520-13-200	CONSTR. CONTR. NO. N/A
SCALE NONE	MACC. T.O.# SHEET 8 OF 8