





## UTILITY REQUIREMENTS

| | |
|---|---|
| 24 | 120V OUTLET WITH EQUIPMENT NUMBER |
| 24 | 208V OUTLET WITH EQUIPMENT NUMBER |
| S | SPARE OUTLET 120V |
| 9 | J-BOX WITH EQUIPMENT NUMBER |
| J 9 | MULTI J-BOX WITH EQUIPMENT NUMBER |
| 9 | STUB UP WITH EQUIPMENT NUMBER |
| T | TELEPHONE JACK |
| LAN | DATA NETWORK JACK (CAT5) |
| C | COLD WATER INLET |
| H | HOT WATER INLET |
| D | DRAIN REQUIRED |
| G | GAS REQUIRED |
| = : = : = : = | ICS CONNECTION CABLE |

## FOOD SERVICE EQUIPMENT SCHEDULE

| EQUIPMENT SPECIFICATIONS | | | | | PREFERRED ENERGY SOURCE | | | | | PLUMBING | | | ALTERNATE ENERGY SOURCE | | | VENTILATION | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | ELECTRICAL | | POWER | STEAM | GAS | WATER | | WASTE | ELEC | STEAM | GAS | GREASE LADEN | HEAT OR MOISTURE LADEN AIR |
| NO. | ITEM | MODEL | SIZE L/W/H | SUPPLIER/ INSTALLER | WALL | VOLTS | KW/AMPS | | | HOT | COLD | | | | | | |
| 1E | DUAL-TEMP PASTRY CASE | EXISTING STRUCT CONCEPTS HVLD56RSS | 58/29/52 | KC | | 220/1 | 1.3A | | NEMA 14-20P | | | | | | | | |
| 2 | FABRICATED FRONT COUNTER UNIT | FABRICATED | 126/36/34 | KC | | | | | | | | | | | | | |
| 3 | BACK COUNTER UNIT W/ SINKS | FABRICATED | 150/34/36 | KC | | | | | | | | | | | | | |
| 4E | UNDERCOUNTER REFRIGERATOR | EXISTING BEVERAGE-AIR UCR-20 | 20/23/31 | KC | 12" AFF | 115/1 | 3.5A | | | | | | | | | | |
| 5E | UNDERCOUNTER REFRIGERATOR | EXISTING TRUE TUC-48 | 48 3/8/30 1/2/29 | KC | 6" AFF | 115/1 | 5A | | | | | | | | | | |
| 6E | ESPRESSO MACHINE W/WATER FILTER | EXISTING VERISMO 701 | 17/21/30 | KC | 12" AFF | 220/1 | 6.6KW 30A | | | X | 3/8" | FLOOR DRAIN | | | | | |
| 7 | CUP DISPENSER HOT (2) | DISPENSE-RITE WR-CT-3 | 7/20/19 | KK | | | | | | | | | | | | | |
| 8E | COFFEE BREWER | EXISTING FETCO CBS-2052e | 22/22/37 | KC | 12" AFF | 120/208V 1-phase | 23A | | | | 3/8" | | (3-Wires + Ground) | | | | |
| 9 | MENU BOARD | MAINSTREET | 30/3/36 | KC | | | | | | | | | | | | | |
| 10 | TRASH CAN | VCS BUYOUT | | KK | | | | | | | | | | | | | |
| 11E | BLENDER (2) | EXISTNG BIG TRAIN FURNISHED | 7/8/16 | KC | 48" AFF | 120/1 | 13A | | | | | | | | | | |
| 12 | AIR POT (6) | 3 LITER AIR POT | 8dia./13 | KK | | | | | | | | | | | | | |
| 13 | CONDIMENT STAND W/ CASTERS & LOCKS | FABRICATED | 36/24/36 | KC | | | | | | | | | | | | | |
| 15 | CASH REGISTER | NCR RealPOS 70xrt | 12/14 1/2/14 1/2 | KC | STUB UP | | | | PROVIDE DEDICATED CIRCUIT | | | | | | | | |
| 16 | PENDANT LIGHTS | TECH LIGHTING 700 FJ FIRFAS-LED | | KC | ABOVE CLG | 120/1 | 15A | | USES 12 VOLT LED, 3000K | | | | | | | | |
| 17E | ICE MAKER | EXISTING MANITOWOC QM45 W/ 4" LEGS | 19/22/32 | KC | 12" AFF | 115/1 | 5.2A | | | | 3/4" | FLOOR DRAIN | | | | | |
| B4 | BEVERAGE COUNTER | FABRICATED | 48/34/34 | KC | 12" AFF | 120/1 | 6.2A | | | | | 1" | | | | | |
| BE8 | BEVERAGE/ICE DISPENSER | EXISTING LANCER IBD4500 | 22/23/34 | KC | 12" AFF | 120/1 | 2.5A | | | | 1/2" | | | | | | |
| BE9 | ICED TEA BREWER | EXISTING LIPTON LTB-103 | 9/18/34 | KC | 12" AFF | 120/1 | 15A | | | | 1/4" | | | | | | |
| FA7E | REFIG WORK TABLE | EXISTING TRUE TWT-60 | 61/31/34 | KC | 12" AFF | 115/1 | 5.5A | | | NEMA 5-20P | | | | | | | |
| FA8E | REFIG FOOD PREP. TABLE | EXISTING TRUE TSSU-48-12 | 48 3/8/30 1/8/36 1/2 | KC | 12" AFF | 115/1 | 8.6A | | NEMA 5-15P | | | | | | | | |
| FA9E | TORNADO OVEN | EXISTING TURBO-CHEF NGC | 26/26/19 | KC | 40" AFF | 208/1 | 30A | | | | | | | | | | |
| FC3E | 2-DRAWER WARMER W/2" CASTERS | EXISTING HATCO HDW-2N | 21/27/24 | KC | 12" AFF | 120/1 | 7.5A | | | | | | | | | | |
| K20E | 2 SECTION REFRIGERATOR | EXISTING TRUE T-49-2-G-2 | 55/30/79 | KC | 48" AFF | 115/ | 9.1A | | | | | | | | | | |
| K44E | BAG-IN-BOX SHELVES | EXISTING | 42/18/87 | KC | | | | | | | | | | | | | |
| K41 | STORAGE SHELVES | VCS BUYOUT | 48/18/87 | KC | | | | | | | | | | | | | |
| K42 | STORAGE SHELVES (2) | VCS BUYOUT | 36/18/87 | KC | | | | | | | | | | | | | |
| K45 | DUNNAGE RACK | VCS BUYOUT | 48/24/12 | KC | | | | | | | | | | | | | |
| M2 | SELF-SERVE MERCHANDISER - HOT | FEDERAL-CH2428 (NO BASE) | 24/30/25 | KC | 48" AFF | 120/1 | 5.8A | | | | | | | | | | |

| REVISION 1-UTILITY REQUIREMENTS | 01 JULY 2013 |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Revision | Date |

RECOMMEND APPROVAL

| | | | |
|---|---|---|---|
| REQUESTER | Date | | |
| CHIEF OF SERVICE | Date | CHIEF OF STAFF | Date |
| ASSOC. DIR. PATIENT CARE SVC. | Date | ASSOC. DIR. for OPERATIONS | Date |
| APPROVAL BY: MEDICAL CENTER DIRECTOR | | | Date |

Drawing Title: COFFEE SHOP LAYOUT

Approved: Safety Manager/M&O Supervisor

Approved: Chief of Facilities Management Svr.

Project Title: B-2 ENTRANCE RENOVATION

Building Number: BUILDING #2 | Checked | Drawn: BLF

Location: W.G.(Bill) Hefner Medical Center, 1601 Brenner Ave, Salisbury NC 28144

Date: 30 APR 2013

Project No.: 659-13-115

DRAWING NO. A-107

DWG. 11 OF 28

Department of Veterans Affairs