


SCALE: 3/16" = 1'-0"

1. ALL FLOORING WILL BE EXTENDED UNDER CASE WORK, FLOOR MOUNTED EQUIPMENT AND FIXTURES AND UNDER CHASES AND PENETRATIONS.
2. MAIN BODY FLOORING WILL NOT BE INSTALLED UNDER RAISED ACCESS FLOORING OR ASSOCIATED RAMP.
3. MAIN BODY FLOORING WILL BE INCLUDED AT ALL DOOR THRESHOLDS CUT TO ALIGN WITH MAT THICKNESS UNLESS SHOWN AS RUNNING THROUGH.
4. THE CONTRACTOR WILL INCLUDE A TRANSITION STRIP WITH AN ELEVATION CHANGE NO HIGHER THAN 1/8" BETWEEN DIFFERENT FLOORING MATERIAL, THAT IS HANDICAP COMPLIANT.
5. UNLESS A STARTING POINT (S.P.) OR A DIMENSION IS SHOWN, FLOORING SHALL BE CENTERED IN THE ROOM.
6. THE CONTRACTOR WILL MATCH THE EXISTING FLOORING TILE WHERE FLOORING IS MISSING IN EXISTING FLOORING TO MATCH THE EXISTING.
7. UNLESS SHOWN WITH A FLOORING PATTERN AT OTHER FLOORING WILL REMAIN.



**CONSULTANTS:**

 **Engineering and  
Land Surveying, P.C.**  
1533 Crescent Road - Clifton Park, NY 12065



**Engineering and  
Land Surveying, P.C.**  
1533 Crescent Road - Clifton Park, NY 12065

**ΣΨ Sigma Psi Consulting**  
Mechanical, Electrical, Plumbing Engineers, PLLC

---

4 Collamer Road, Malta, NY 12020   PH (518) 581-9428   FX (518) 580-9325

Project Title SYRACUSE VAMC RENOVATE POLICE STATION		Project Number 528A7-12-708	
Location SYRACUSE VA MEDICAL CENTER NY		Building Number BLDG. 1	
Date 4/19/13	Checked CMD	Drawn MM	Drawing Number <div style="font-size: 2em; font-weight: bold; margin-top: 10px;">A-8</div> Dwg. 11 of 31

 Department of  
Veterans Affairs