



PLUMBING SPECIFICATIONS GENERAL NOTES

- ## ABBREVIATIONS

- | | |
|------|-----------------------------|
| ABV | ABOVE |
| AD | ACCESS DOOR |
| AFI | ABOVE FINISH FLOOR |
| CI | CAST IRON |
| CLG | CEILING |
| CO | CLEAN OUT |
| CDOP | CLEAN OUT DECK PLATE |
| COTG | CLEAN OUT TO GRADE |
| COWP | CLEAN OUT WALL PLATE |
| CH | COLD WATER |
| DN | DOWN |
| EWC | ELECTRIC WATER COOLER |
| FD | FLOOR DRAIN |
| HW | HOT WATER |
| HWR | HOT WATER RETURN |
| I E | INVERT ELEVATION |
| LAV | LAVATORY |
| NIC | NOT IN CONTRACT |
| NFHW | NON-FREEZE WALL HYDRANT |
| NTS | NOT TO SCALE |
| PDI | PLUMBING DRAINAGE INSTITUTE |
| POC | POINT OF CONNECTION |
| S | SOIL |
| SA | SHOCK ARRESTOR |
| SH | SHOWER |
| SK | SINK |
| TYR | TYPICAL |
| UP | URINAL |
| V | VENT |
| VTR | VENT THRU ROOF |
| W | WASTE |
| WC | WATER CLOSET |

- [illegible]

NOTES:

1. ALL FIXTURES SHALL HAVE INDIVIDUAL CHROME ANGLE STOPS, TRAPS AND ESCUTCHEONS.
2. ALL WALL MOUNTED FIXTURES SHALL BE SUPPORTED BY CONCEALED, FLOOR MOUNTED PLUMBING FIXTURE CARRIERS. WALL BRACKETS OR CLIPS ARE NOT ACCEPTABLE. NOTIFY ENGINEER OF ANY CONFLICTS WITH INSTALLATION OF CONCEALED CARRIERS.
3. LAV SHALL BE SUPPORTED BY JAY R. SMITH FIG. 0700-27-M31 CONCEALED ARM FIXTURE CARRIER.
4. PROVIDE SUBMITTALS FOR ALL FIXTURES. PROVIDE COPIES TO ARCHITECT FOR REVIEW OF ALL FIXTURES AND FIXTURE FINISH COLORS.
5. MODEL NUMBERS LISTED IN SCHEDULE ARE FOR GENERAL REFERENCE ONLY AND NOT FOR ORDERING. CONTRACTOR SHALL REVIEW MODEL NUMBERS AND SPECIFIED FEATURES WITH THE FACTORY PRIOR TO PLACING THEIR FINAL ORDER.
6. ALL PLUMBING FIXTURES NOT SHOWN ON PLAN, PROVIDE FIXTURES AS REQUIRED TO MEET THE DESIGN INTENT BY THE OWNER.
7. PROVIDE SHOCK ARRESTORS ON CW SUPPLY PIPING TO FLUSH VALVES ACCORDING TO PLUMBING DRAINAGE INSTITUTE SIZING CRITERIA.
8. ARCHITECT / OWNER TO REVIEW PLUMBING FIXTURE SELECTION AND APPROVE PRIOR TO ORDERING.

NOTES:

1. COORDINATE FLOOR DRAINS WITH FLOORING MANUFACTURER/INSTALLER AND LAYOUT.
2. VERIFY THAT AUTOMATIC TRAP PRIMERS ARE REQUIRED BY C.M. PROVIDE TRAP PRIMERS FOR FLOOR DRAINS AS INDICATED ON THE DRAWINGS. INSTALL OFF NEAREST CW MAIN PER MANUFACTURER'S INSTRUCTIONS.
3. REFER TO PLUMBING PLANS FOR FLOOR DRAIN SIZES.
4. MODEL NUMBERS LISTED IN SCHEDULE ARE FOR GENERAL REFERENCE ONLY AND NOT FOR ORDERING. CONTRACTOR SHALL REVIEW MODEL NUMBERS AND SPECIFIED FEATURES WITH THE FACTORY BEFORE PLACING THEIR FINAL ORDER.



SUB-CONSULTANTS:



PREPARED BY:

ΣΨ Sigma Psi Consulting
Mechanical, Electrical, Plumbing Engineers

4 Collamer Road, Malta, NY 12020 PH (518) 581-9428 FX (518) 580-9325

Drawing Title
PLUMBING SCHEDULES, NOTES + LEGEND

Project Title
SYRACUSE VAMC

Project Number
528A7-12-708

Office of
Construction
and Facilities
Management

Department of
Veterans Affairs