

**SECTION 09 06 00
SCHEDULE FOR FINISHES**

PART I - GENERAL

1.1 DESCRIPTION

This section contains a coordinated system in which requirements for materials specified in other sections shown are identified by abbreviated material names and finish codes in the room finish schedule or shown for other locations. Where conflicts existing between specification sections and drawings, contact to COR to determine appropriate finish required.

1.2 MANUFACTURERS

Manufacturer's trade names and numbers used herein are only to identify colors, finishes, textures and patterns. Products of other manufacturer's equivalent to colors, finishes, textures and patterns of manufacturers listed that meet requirements of technical specifications will be acceptable upon approval in writing by contracting officer for finish requirements.

1.3 SUBMITALS

Submit in accordance with SECTION 01 33 23, SHOP DRAWINGS, PRODUCT DATA, AND SAMPLES—provide quadruplicate samples for color approval of materials and finishes specified in this section.

1.4 APPLICABLE PUBLICATIONS

A. Publications listed below form a part of this specification to the extent referenced. Publications are referenced in text by basic designation only.

B. MASTER PAINTING INSTITUTE: (MPI)

2001.....Architectural Painting Specification Manual

PART 2- PRODUCTS

2.1 DIVISION 03 - CONCRETE

A. SECTION 03 30 00, CAST IN PLACE CONCRETE

Surface	Finish Description
Concrete Access Way	Refer to Section 03 30 00 3.13 Provide safety/warning paint (yellow) where indicated Provide overlay on floor base slab where indicated
Concrete Stairs	Provide safety nosing

B. SECTION 03 37 13, Shotcrete

Surface	Finish Description
Sub-Basement Floor	Trowel finish to provide smooth surface

2.2 DIVISION 04 - MASONRY

A. Section 04 20 00, UNIT MASONRY

3.CONCRETE MASONRY UNIT (CMU)				
Type	Size	Pattern	Finish	Mfg. Color Name/No.
CMU Standard	Match Existing	Match Existing	Match Existing	Match Existing

2.3 DIVISION 05 - METALS

A. SECTION 05 12 00, STRUCTURAL STEEL FRAMING

Component	Finish	Color
Components for strut modification where indicated	MPI 95 (Fast Drying Metal Primer) and two coats of MPI 47 (Interior Alkyd, Semi-Gloss (AK))	Safety Yellow

--	--	--

E. SECTION 05 50 00, METAL FABRICATION

Item	Finish
Aluminum ladder & access ladder	Factory or shop finish - Color: Safety Yellow
Interior railing, handrail, and ladder	Galvanized steel: Shop prime and paint - Color: Safety Yellow
Exterior railing, handrail, and ladder	Galvanized steel: Shop prime and paint - Color: Safety Yellow
Aluminum Safety Nosing	Not painted
Bollards	As indicated on drawings

2.4 DIVISION 08 - OPENINGS

A. SECTION 08 11 13, HOLLOW METAL DOORS AND FRAMES

Paint both sides of door and frames same color including ferrous metal louvers, and hardware attached to door	
Component	Finish/Color
Door	Factory Finish - Color: Selected by VA
Frame	Factory Finish - Color: Selected by VA

B. SECTION 08 33 00, COILING DOORS

Location	Item	Material	Finish	Manufacturer	Manufacturer Color Name/No.
Loading Dock	Coiling Door	Galvanized Steel	Factory	Overhead Door	Selected by VA

--	--	--	--	--	--

2.5 DIVISION 09 - FINISHES

A. PAINT AND COATINGS: Refer to SECTION 09 91 00

2.6 DIVISION 14 - CONVEYING EQUIPMENT

A. SECTION 14 50 00, Vertical Reciprocating Conveyor

Component	Finish	Color
Carriage and main structural components	Factory	Blue
Non-access side enclosures	Factory	Safety Yellow
Vertical gates	Factory	Safety Yellow

2.7 DIVISION 22 - PLUMBING

See specific specification section for requirements.

2.8 DIVISION 26 - ELECTRICAL

See specific specification section for requirements.

2.9 DIVISION 32 - EXTERIOR IMPROVEMENTS

See specific specification section for requirements.

PART III EXECUTION

3.1 FINISH SCHEDULES & MISCELLANEOUS ABBREVIATIONS

FINISH SCHEDULE & MISCELLANEOUS ABBREVIATIONS	
Term	Abbreviation
Access Flooring	AF
Accordion Folding Partition	AFP
Acoustical Ceiling	AT
Acoustical Ceiling, Special Faced	AT (SP)
Acoustical Metal Pan Ceiling	AMP
Acoustical Wall Panel	AWP
Acoustical Wall Treatment	AWT
Acoustical Wallcovering	AWF
Anodized Aluminum Colored	AAC
Anodized Aluminum Natural Finish	AA
Baked On Enamel	BE
Brick Face	BR
Brick Flooring	BF
Brick Paving	BP
Carpet	CP
Carpet Athletic Flooring	CAF
Carpet Module Tile	CPT
Ceramic Glazed Facing Brick	CGFB
Ceramic Mosaic Tile	FTCT
Concrete	C
Concrete Masonry Unit	CMU
Divider Strips Marble	DS MB
Epoxy Coating	EC
Epoxy Resin Flooring	ERF
Existing	E
Exposed Divider Strips	EXP
Exterior	EXT

Exterior Finish System	EFS
Exterior Paint	EXT-P
Exterior Stain	EXT-ST
Fabric Wallcovering	WF
Facing Tile	SCT
Feature Strips	FS
Floor Mats & Frames	FM
Floor Tile, Mosaic	FT
Fluorocarbon	FC
Folding Panel Partition	FP
Foot Grille	FG
Glass Masonry Unit	GUMU
Glazed Face CMU	GCMU
Glazed Structural Facing Tile	SFTU
Granite	GT
Gypsum Wallboard	GWB
High Glazed Coating	SC
Latex Mastic Flooring	LM
Linear Metal Ceiling	LMC
Linear Wood Ceiling	LWC
Marble	MB
Material	MAT
Mortar	M
Multi-Color Coating	MC
Natural Finish	NF
Paint	P
Paver Tile	PVT
Perforated Metal Facing (Tile or Panels)	PMF
Plaster	PL
Plaster High Strength	HSPL
Plaster Keene Cement	KC
Plastic Laminate	HPDL
Polypropylene Fabric Wallcovering	PFW
Porcelain Paver Tile	PPT
Quarry Tile	QT
Radiant Ceiling Panel	RCP

System	
Resilient Stair Tread	RST
Rubber Base	RB
Rubber Tile Flooring	RT
Spandrel Glass	SLG
Stain	ST
Stone Flooring	SF
Structural Clay	SC
Suspension Decorative Grids	SDG
Terrazzo Portland Cement	PCT
Terrazzo Tile	TT
Terrazzo, Thin Set	
Textured Gypsum Ceiling	TGC

Panel	
Textured Metal Ceiling Panel	TMC
Thin set Terrazzo	TST
Veneer Plaster	VP
Vinyl Base	VB
Vinyl Coated Fabric Wallcovering	W
Vinyl Composition Tile	VCT
Vinyl Sheet Flooring	VSF
Vinyl Sheet Flooring (Welded Seams)	WSF
Wall Border	WB
Wood	WD

3.2 FINISH SCHEDULE SYMBOLS

Symbol Definition

- ** Same finish as adjoining walls
- No color required
- E Existing
- XX To match existing
- EFTR Existing finish to remain
- RM Remove

3.3 ROOM FINISH SCHEDULE

- A. Match adjoining or existing similar surfaces colors, textures or patterns where disturbed or damaged by alterations or new work when not scheduled.

--- E N D ---