

# REPLACE DOORS, B-29A

PROJECT NO. 528A6-13-637


V.A. MEDICAL CENTER  
BATH, NEW YORK 14810

## LIST OF DRAWINGS

DRAWING NO.	SYMBOL	SHEET	TITLE
VAMC-528A6-1754	T-1	1 OF 3	COVER SHEET
VAMC-528A6-1754	A-1	2 OF 3	LAYOUTS AND DETAILS
VAMC-528A6-1754	A-2	3 OF 3	LAYOUTS AND DETAILS


## ABBREVIATIONS AND SYMBOLS

AB	ANCHOR BOLT	EA	EACH	MAT	MATERIAL	T	TOILET
AC	AIR CONDITIONING	EL	ELEVATION	MAX	MAXIMUM	T/	TOP OF
ACT	ACOUSTICAL CEILING TILE	ELEC	ELECTRIC	MECH	MECHANICAL	TH	THICK/ THICKNESS
ADDL	ADDITIONAL	ELEV	ELEVATION	MFGR	MANUFACTURER	T&G	TONGUE & GROOVE
ADJ	ADJUSTABLE	EQ	EQUAL	MH	MAN HOLE	TOP	TOP OF FOOTING
APP	ABOVE FINISH FLOOR	EW	EACH WAY	MIN.	MINIMUM	TOS	TOP OF STEEL
ALT	ALTERNATE	EXT	EXTERIOR	MO	MASONRY OPENING	TOW	TOP OF WALL
AL	ALUMINUM	EXG	EXISTING	MTL	METAL	TYP	TYPICAL
ARCH	ARCHITECTURAL			NIC	NOT IN CONTRACT	UNO	UNLESS NOTED OTHERWISE
ASPH	ASPHALT			NTS	NOT TO SCALE		
BD	BOTTOM of	PBGL	FIBERGLASS				
BD	BOARD	FD	FLOOR DRAIN				
BL	BUILDING LINE	PFE	FINISH FLOOR ELEVATION				
BLDG	BUILDING	FIN	FIN	OC	ON CENTER	VB	VAPOR BARRIER
BLK	BLOCK	FLR	FLOOR	OHD	OVERHEAD DOOR	VCT	VINYL COMPOSITION TILE
BLKG	BLOCKING	FNDR	FOUNDATION	OPNG	OPENING	VERT	VERTICAL
BP	BEARING PLATE	FR	FAMILY ROOM				
BR	BEDROOM	FTG	FOOTING	PL	PLATE	W	WIDE/ WIDTH
BSMT	BASEMENT			PSF	POUNDS PER SQUARE FOOT	W/	WITH
BTWN	BETWEEN	GC	GENERAL CONTRACTOR	PSI	POUNDS PER SQUARE INCH	WC	WATER CLOSET
BRG	BEARING	GL	GLASS	PT (D)	PAINT (ED)	WD	WOOD
		GWB	GYPSUM WALL BOARD	PWD	PLYWOOD	WIND	WINDOW
		GP	GYPSUM	RA	RETURN AIR	WWM	WELDED WIRE MESH
CB	CATCH BASIN			RD	ROOF DRAIN		EXISTING WALLS
CC	CENTER TO CENTER	H	HIGH	REF	REFERENCE		NEW PARTITIONS
CDM	CEMENT	HC	HOLLOW CORE	REINF	REINFORCING		ITEMS TO BE DEMOLISHED
CG	CORNER GUARD	HDR	HEADER	REQD	REQUIRED		
CJ	CONSTRUCTION JOINT or CONTROL JOINT	HDR	HARDWARE	RH	RIGHT HAND		
CLG	CEILING	HDW	HARDWARE	RM	ROOM		
CMU	CONCRETE MASONRY UNIT	HGT	HEIGHT	RO	ROUGH OPENING		
COL	COLUMN	HM	HOLLOW METAL	RS	ROUGH SAWN		
COMP	COMPACTED	HORZ	HORIZONTAL				
CONC	CONCRETE	H.P.	HIGH POINT	SC	SOLID CORE		
CONST	CONSTRUCTION	H.R.	HANDRAIL	SCWD	SOLID CORE WOOD DOOR		
CONT	CONTINUOUS	HW	HOT WATER	SD	SMOKE DETECTOR		
COORD	COORDINATE	INS	INSULATION	SF	SQUARE FEET		
CPT	CARPET	INT	INTERIOR	SFLR	SUB-FLOOR		
CKS	COURSE			SIM	SIMILAR		
CT	CERAMIC TILE			SL	SLOPE		
		JAN.	JANITORIAL	SOG	SLAB-ON-GRADE		
		JST	JOIST	SPEC	SPECIFICATIONS		
		JT	JOINT	STL	STEEL		
		K	KITCHEN	STR	STRUCTURAL		
				SV	SHEET VINYL FLOORING		




## BUILDING SCHEDULE

3	EQUIPMENT STORAGE
4	LUMBER SHED
5	ENGINEERING STORAGE
6	STUDENT HOUSING
7	ENGINEERING OFFICE
8	DAY TREATMENT CENTER
9	FIRE DEPARTMENT & GARAGE
10	GARAGES, VEH. REPAIR, MASONRY STORAGE
11	CARPENTER SHOP
12	LAUNDRY/PRINT SHOP/GSP
13	VOLUNTEER SERVICES
14	SEWER - PUMP HOUSE
15	MAIN DINING ROOM & KITCHEN & POST OFFICE
16	LPHYSTERY SHOP/MUSEUM
17	SECTION 4 ADMINISTRATION
18	BOLIV PLANT
19	GERIATRIC OFFICES & HOME BASED SOCIAL WORK
20	SECTION 5 - IT
21	SECTION 5 - CATERING/ADMINISTRATION
22	VIS. VET. VISITING OFFICE/CHAIRMAN SERVICE OFFICE
23	MAIN CHAPEL
24	HUMAN RESOURCES, CONTRACTING
25	HONOUR GUARD
26	POLICE
27	QUARTERS
28	QUARTERS
29	THREE CAR GARAGE
30	QUARTERS
31	QUARTERS
32	THREE CAR GARAGE
33	QUARTERS
34	ENGINEERING SHOPS & STORAGE-PAINT, ELEC. & PLUMB.
35	HOSPITAL
36	SECTION 2 - CLC
37	BRIDGE
38	UNDERGROUND RESERVOIR
39	COMPENSATED WORK THERAPY
40	INCINERATOR - NOT USED
41	SEWAGE TREATMENT PLANT - NOT USED
42	RECREATION & LIBRARY
43	FIELD HOUSE - FLAG POLE
44	PARADE GROUND - FLAG POLE
45	BLEACHERS - EAST
46	BLEACHERS - NORTH
47	COVERED PICNIC AREA
48	SUPPLY WAREHOUSE
49	SECTION 1 - DOMICILIARY
50	CATERING BAY
51	HEAVY EQUIPMENT STORAGE
52	BAR STORAGE BUILDING
53	RAISED PLATFORM
54	GARAGE
55	METER HOUSE
56	GAZE HOUSE
57	GREEN HOUSE
58	INDOOR YARD
59	FIELD HOUSE STORAGE
60	ANNEX PLATFORM
61	SMOKING SHELTER (B24)
62	SMOKING SHELTER (B35)
63	SMOKING SHELTER (B36)
64	NATIONAL CEMETERY SERVICE



Revisions	Date	ALL WORK TO BE IN ACCORDANCE WITH N.F.P.A., NATIONAL, STATE AND CITY CODES & D.S.H.A.	Approved: Logistic Manager Date	Approved: A.F.G.E. Date	Approved: Fire Chief Date	Approved: Energy Engineer Date	Drawing Title <b>COVER SHEET</b>	Project Title <b>REPLACE DOORS, B-29A</b>	Date <b>5/28/13</b>	A.V.	
		Approved: Date	Approved: Infection Control Mgr Date	Approved: Interior Designer Date	Approved: Safety Officer Date	Approved: M&R Foreman Date	Drawing File Number:	Project No. <b>528A6-13-637</b>			
		Approved: Date	Approved: Chief of Security Date	Approved: Info. Sys. Date	Approved: Industrial Hygienist Date	Approved: Utility Systems Date	Approved: Facility Manager Date	Building No. <b>29A</b>	Checked <b>JAY</b>		Drawn <b>SDP</b>
		Approved: Date	Approved: Patient Safety Date	Approved: Women's Health Rep Date	Approved: Space Owner Date	Approved: Associate Director Date	Approved: Medical Center Director Date	Location <b>BATH, NEW YORK</b>	DRAWING NO. <b>VAMC-528A6-1755</b>		Dwg. <b>1</b> Of <b>3</b>



### GENERAL NOTES

THE FOLLOWING GENERAL NOTES ARE APPLICABLE ARCHITECTURAL DRAWINGS:

- MATERIAL SPECIFICATIONS ARE PROVIDED ON THESE DRAWINGS FOR SPECIFIC MATERIAL REQUIREMENTS.
- ALL WORK SHALL COMPLY WITH ALL APPLICABLE CODES, STANDARDS AND REGULATIONS, INCLUDING, BUT NOT LIMITED TO STANDARDS, NFPA, AND THE NATIONAL ELECTRIC CODE (NEC).
- CONSTRUCTION DRAWINGS ARE BASED UPON FIELD SURVEYS AND RECORD DRAWINGS PROVIDED BY THE ARCHITECT/ENGINEER. THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS FOR ALL PROJECT WORK PRIOR TO CONSTRUCTION.
- DIMENSIONS SHOWN ARE TO FACE OF FINISH WALL TO FACE OF STRUCTURE UNLESS OTHERWISE NOTED. WRITTEN DIMENSIONS SHALL SUPERSEDE SCALED DIMENSIONS IN ALL CASES. DO NOT SCALE THE DRAWINGS.
- PROMPTLY NOTIFY THE OWNER OF ANY DISCREPANCIES IN THE DRAWINGS OR SPECIFICATIONS FOR RESOLUTION PRIOR TO ANY CONSTRUCTION WORK.
- ALL MEANS AND METHODS OF CONSTRUCTION ARE SOLELY THE RESPONSIBILITY OF THE CONTRACTOR AND SUBCONTRACTORS.
- THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING CONSTRUCTION AREA SECURITY DURING CONSTRUCTION.
- THE CONTRACTOR IS TO PROVIDE DAILY CLEANUP, CONSTRUCTION BARRIERS, NEGATIVE AIR IN CONSTRUCTION AREAS & A DUST SEAL PROGRAM PER SPECIFICATIONS AND FACILITY INFECTION CONTROL STANDARDS.
- PATCH ALL EXISTING INTERIOR WALLS WHERE REMOVALS HAVE TAKEN PLACE. PATCH TO MATCH EXISTING ADJACENT FINISH. REFER TO DEMOLITION NOTES AND LAYOUTS FOR REMOVALS. A PAINTABLE SMOOTH SURFACE SHALL BE ATTAINED. FINISH PAINT PER SPECIFICATIONS.

### DOOR SCHEDULE (SEE NOTES)


DOOR No.	DOOR OPENING SIZE (WxH) (ALL MEASUREMENTS APPROXIMATE. CONTRACTOR SHALL VERIFY EXACT DIM IN FIELD)	DOORS					FRAMES (EXISTING)			GENERAL		NOTES
		TYPE	THICKNESS	CONSTRUCTION	FACING & FINISH	GLAZING	TYPE	CONSTRUCTION	FINISH	HARDWARE		
201	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
201 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
202	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
202 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
203	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
203 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
204	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
204 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
205	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
205 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
206	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
206 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
214	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
214 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
215	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
215 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
216	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
216 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
217	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
217 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
218	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
218 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
219	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
219 CLOSET	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	50	UNDERCUT DOOR 3/4" MAX
207	30" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	20	UNDERCUT DOOR 3/4" MAX
208	30" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
209	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
210 (FRENCH)	41" x 7'-0"	D2	1 3/4"	WD	ST	-	F2	WD	P	-	7F	UNDERCUT DOOR 1/2" MAX
211	36" x 8'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX
213	32" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	3	UNDERCUT DOOR 3/4" MAX, NO HOLD/OPEN ON THIS DOOR
121 BASEMENT	36" x 7'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	6	UNDERCUT DOOR 3/4" MAX
221 ATTIC	36" x 8'-0"	D1	1 3/4"	WD	ST	-	F2	WD	P	-	6	UNDERCUT DOOR 3/4" MAX

### REPLACE EXISTING DOORS, 2ND FLOOR, B-29A

SCALE: NTS

### NOTES

- REFER TO DOOR SCHEDULE



### NOTES:

- ALL EXIST. ROUGH OPENINGS SHALL BE PREPARED BY THE CONTRACTOR AS REQUIRED TO ALLOW INSTALLATION.
- INSTALLATION OF ALL DOORS TO BE PER MANUFACTURER'S WRITTEN INSTRUCTIONS.
- CONTRACTOR SHALL BE RESPONSIBLE TO MODIFY ALL EXISTING DOOR FRAMES AS REQUIRED TO ACCOMMODATE THE NEW DOORS.

### DOOR SCHEDULE NOTES:

- NEW DOORS & FRAMES TO BE INSTALLED IN EXISTING OPENING OR FRAMES SHALL BE FIELD VERIFIED FOR EXACT SIZE AND CONDITIONS.
- ALL OPENING DIMENSIONS ARE APPROXIMATE AND SHALL BE VERIFIED IN FIELD.
- FINAL FINISH COLORS TO BE DETERMINED BY OWNER.

Drawing Title <b>LAYOUT &amp; DETAILS</b>		Project Title <b>REPLACE DOORS, B-29A</b>		Date <b>5/28/13</b>	
Drawing File Number:		Project No. <b>528A6-13-637</b>		Dwg. 2 Of 3	
Approved: Facility Manager	Date	Building No. <b>29A</b>	Checked <b>JAY</b>	Drawn <b>SDP</b>	
Approved: Medical Center Director	Date	Location <b>BATH, NEW YORK</b>			



1  
A2

REPLACE EXISTING DOORS, 1ST FLOOR, B-29A

SCALE: NTs

NOTES

1. REFER TO DOOR SCHEDULE

GENERAL NOTES

THE FOLLOWING GENERAL NOTES ARE APPLICABLE ARCHITECTURAL DRAWINGS:

1. MATERIAL SPECIFICATIONS ARE PROVIDED ON THESE DRAWINGS FOR SPECIFIC MATERIAL REQUIREMENTS.
2. ALL WORK SHALL COMPLY WITH ALL APPLICABLE CODES, STANDARDS AND REGULATIONS, INCLUDING, BUT NOT LIMITED TO STANDARDS, NFPA, AND THE NATIONAL ELECTRIC CODE (NEC).
3. CONSTRUCTION DRAWINGS ARE BASED UPON FIELD SURVEYS AND RECORD DRAWINGS PROVIDED BY THE ARCHITECT/ENGINEER. THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS FOR ALL PROJECT WORK PRIOR TO CONSTRUCTION.
4. DIMENSIONS SHOWN ARE TO FACE OF FINISH WALL TO FACE OF STRUCTURE UNLESS OTHERWISE NOTED. WRITTEN DIMENSIONS SHALL SUPERSEDE SCALED DIMENSIONS IN ALL CASES. DO NOT SCALE THE DRAWINGS.
5. PROMPTLY NOTIFY THE OWNER OF ANY DISCREPANCIES IN THE DRAWINGS OR SPECIFICATIONS FOR RESOLUTION PRIOR TO ANY CONSTRUCTION WORK.
6. ALL MEANS AND METHODS OF CONSTRUCTION ARE SOLELY THE RESPONSIBILITY OF THE CONTRACTOR AND SUBCONTRACTORS.
7. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING CONSTRUCTION AREA SECURITY DURING CONSTRUCTION.
8. THE CONTRACTOR IS TO PROVIDE DAILY CLEANUP, CONSTRUCTION BARRIERS, NEGATIVE AIR IN CONSTRUCTION AREAS & A DUST SEAL PROGRAM PER SPECIFICATIONS AND FACILITY INFECTION CONTROL STANDARDS.
9. PATCH ALL EXISTING INTERIOR WALLS WHERE REMOVALS HAVE TAKEN PLACE. PATCH TO MATCH EXISTING ADJACENT FINISH. REFER TO DEMOLITION NOTES AND LAYOUTS FOR REMOVALS. A PAINTABLE SMOOTH SURFACE SHALL BE ATTAINED. FINISH PAINT PER SPECIFICATIONS.


DOOR SCHEDULE (SEE NOTES)											
DOOR No.	DOORS					FRAMES (EXISTING)			GENERAL		NOTES
	DOOR OPENING SIZE (WxH) (ALL MEASUREMENTS APPROXIMATE, CONTRACTOR SHALL VERIFY EXACT DIM IN FIELD)	TYPE	THICKNESS	CONSTRUCTION	FACING & FINISH	TYPE	CONSTRUCTION	FINISH	LABEL	HARDWARE	
101	32" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	3		UNDERCUT DOOR 3/4" MAX
101 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	50		UNDERCUT DOOR 3/4" MAX
102	32" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	3		UNDERCUT DOOR 3/4" MAX
102 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	50		UNDERCUT DOOR 3/4" MAX
103	32" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	3		UNDERCUT DOOR 3/4" MAX
103 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	50		UNDERCUT DOOR 3/4" MAX
104	32" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	3		UNDERCUT DOOR 3/4" MAX
104 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	50		UNDERCUT DOOR 3/4" MAX
105	32" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	3		UNDERCUT DOOR 3/4" MAX
105 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	50		UNDERCUT DOOR 3/4" MAX
106	32" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	3		UNDERCUT DOOR 3/4" MAX
106 CLOSET	28" x 7'-0"	D1	1 3/4"	WD	ST -	F2	WD	P -	50		UNDERCUT DOOR 3/4" MAX

NOTES:

1. ALL EXIST. ROUGH OPENINGS SHALL BE PREPARED BY THE CONTRACTOR AS REQUIRED TO ALLOW INSTALLATION.
2. INSTALLATION OF ALL DOORS TO BE PER MANUFACTURER'S WRITTEN INSTRUCTIONS.
3. CONTRACTOR SHALL BE RESPONSIBLE TO MODIFY ALL EXISTING DOOR FRAMES AS REQUIRED TO ACCOMMODATE THE NEW DOORS.

DOOR SCHEDULE NOTES:

1. NEW DOORS & FRAMES TO BE INSTALLED IN EXISTING OPENING OR FRAMES SHALL BE FIELD VERIFIED FOR EXACT SIZE AND CONDITIONS.
2. ALL OPENING DIMENSIONS ARE APPROXIMATE AND SHALL BE VERIFIED IN FIELD.
3. FINAL FINISH COLORS TO BE DETERMINED BY OWNER.



Revisions	Date

Drawing Title	Project Title		Date	A.V.	
LAYOUT & DETAILS	REPLACE DOORS, B-29A		5/28/13		
Drawing File Number:	Project No.		528A6-13-637		
Approved: Facility Manager	Date	Building No.	29A		
Approved: Medical Center Director	Date	Location	BATH, NEW YORK		
		Checked	JAY	Drawn	SDP
		DRAWING NO.	VAMC-528A6-1755		
		A-2		Dwg. 3	Of 3