



three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot
one sixteenth inch = one foot



F1 FOURTH FLOOR ARCHITECTURAL PLAN AREA A
1/8" = 1'-0"




F4 FOURTH FLOOR ARCHITECTURAL PLAN AREA B
1/8" = 1'-0"

- ### FLOOR PLAN PARTITION GENERAL NOTES
1. ALL PARTITIONS TO BE TYPE 5 UNLESS INDICATED OTHERWISE.
 2. ALL COLUMN ENCLOSURES TO BE PARTITION TYPE 2 UNLESS INDICATED OTHERWISE.
 3. THE PARTITION TAG INDICATES THE TYPE OF PARTITION FROM CORNER TO CORNER UNLESS INDICATED OTHERWISE.
 4. SEE PARTITION TYPES ON SHEET AE-304 FOR ADDITIONAL INFORMATION.
 5. ALL GYPSUM WALLBOARD TO BE MOISTURE RESISTANT PER SPECIFICATION.
 6. SEE ENLARGED PLANS FOR WALL TYPES OF ENLARGED AREAS.
 7. ALL EXISTING TO REMAIN EXPOSED CMU WALLS TO HAVE ONE LAYER OF 5/8" MOISTURE/MOLD RESISTANT GYPSUM WALLBOARD APPLIED TO WALL.






- ### ARCHITECTURAL KEYNOTES
- A1. INSTALL NEW ALUMINUM WINDOW IN EXISTING OPENING. VERIFY OPENING SIZE IN FIELD. SEE DETAILS ON SHEET AE-305.
 - A2. INSTALL NEW ALUMINUM LOUVER IN EXISTING OPENING. VERIFY OPENING SIZE IN FIELD. SEE DETAILS ON SHEET AE-151.
 - A3. INSTALL NEW EXPANSION JOINT COVER.
 - A4. GLASS PANEL WALL SYSTEM.

- ### ARCHITECTURAL FLOOR PLAN GENERAL NOTES
1. DO NOT SCALE DRAWINGS. DIMENSIONS IN LARGE SCALE PLANS, ELEVATIONS, AND DETAILS SHALL GOVERN OVER SMALL SCALE DETAILS. IF DIMENSIONS ARE IN QUESTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT BEFORE CONTINUING WITH CONSTRUCTION.
 2. SEE TYPICAL COLUMN ENCLOSURE DETAIL ON SHEET AE-302.
 3. WHERE A ONE HOUR OR NON-RATED PARTITION IS SHOWN AS A CONTINUATION OF A TWO HOUR PARTITION OR COLUMN ENCLOSURE, THE FACE OF THE GYPSUM BOARD SHALL BE ALIGNED. STUDS SHALL BE OFFSET AND AN ADDITIONAL LAYER OF GYPSUM BOARD SHALL BE PROVIDED TO PROVIDE FACE ALIGNMENT OF GYPSUM BOARD.
 4. ALL WALL MOUNTED LAVATORIES SHALL BE MOUNTED TO ALLOW FOR 1'-3" MINIMUM BETWEEN THE CENTERLINE OF THE LAVATORY AND FACE OF ADJACENT WALL. UNLESS OTHERWISE NOTED, THERE IS AN ADDITIONAL REQUIREMENT TO PROVIDE A MINIMUM OF 4" BETWEEN SIDE OF LAVATORY AND FACE OF ADJACENT WALL. FIXED EQUIPMENT, CASEWORK, ETC. ALL BACK-TO-BACK LAVATORIES TO BE INSTALLED IN WALL TYPE 5A.
 5. ALL WATER CLOSETS SHALL BE MOUNTED SO THAT THERE IS 1'-6" BETWEEN FACE OF THE CLOSET ADJACENT SIDE WALL OR TOILET PARTITION AND THE CENTERLINE OF THE WATER CLOSET. THE FLUSH VALVE FOR ALL WATER CLOSETS SHALL BE MOUNTED ON THE "OPEN MOST" SIDE OF THE WATER CLOSET AT 4" MAXIMUM A.F.F. TO THE TOP.
 6. CONTRACTOR SHALL BUILD OUT PARTITIONS TO ACCOMMODATE DEPTH REQUIRED BY PLUMBING WIRES.
 7. DIMENSIONS SHALL BE FIELD VERIFIED PRIOR TO FABRICATION AND INSTALLATION OF CASEWORK. REFER TO CASEWORK NOTES FOR ADDITIONAL INFORMATION.
 8. GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR LATEXING AND TAPERING EXISTING CONCRETE FLOOR SLAB WHERE MATERIAL CHANGES OCCUR.
 9. CONTRACTOR SHALL BUILD OUT PARTITIONS TO ACCOMMODATE DEPTH REQUIRED BY FIRE EXTINGUISHER CABINETS AND RECESSED POWER PANELS. COORDINATE WITH ENGINEERING DRAWINGS. FINAL LOCATIONS OF ALL CABINETS AND PANELS TO BE APPROVED BY ARCHITECT.
 10. PROVIDE METAL STUD FRAMING AROUND ALL PENETRATIONS THRU METAL STUD / GYPSUM PARTITIONS. REFER TO DETAILS TO FOLLOW FOR PATCHING PENETRATIONS IN RATED WALLS.
 11. CONTRACTOR TO COORDINATE LOCATION OF CONSTRUCTION JOINTS WITH FINISH FLOOR MATERIALS SO THAT NO CONSTRUCTION JOINT IS LOCATED BENEATH CERAMIC, PORCELAIN OR QUARRY TILES.
 12. SEE AE-201 FOR EQUIPMENT SCHEDULE.

- ### PARTITION PLAN INDICATIONS
- | | |
|-----|-----------------------------------|
| --- | EXISTING PARTITION TO BE REMOVED |
| --- | EXISTING PARTITION TO REMAIN |
| --- | EXISTING SMOKE PARTITION |
| --- | EXISTING ONE HOUR SMOKE BARRIER |
| --- | EXISTING TWO HOUR FIRE BARRIER |
| --- | TEMPORARY PARTITION |
| --- | TYPICAL FURRING |
| --- | TYPICAL NON RATED PARTITION |
| --- | TYPICAL NON RATED SMOKE PARTITION |
| --- | TYPICAL ONE HOUR RATED PARTITION |
| --- | TYPICAL ONE HOUR SMOKE BARRIER |



FULLY SPRINKLERED
ISSUED FOR BID

CONSULTANTS:		PROJECT MANAGER:		Project Number	Scale	Drawing Title	Project Title	VA Project Number	Office of Facilities Management
Architect	MEPPP Engineer	Structural Engineer	Abatement Consultant	3659	As indicated	FOURTH FLOOR ARCHITECTURAL & DIMENSION PLANS	EXPAND EXISTING ONCOLOGY	693-12-104	
								Building Number	
2520 Renaissance Blvd. Suite 110 King of Prussia, PA 19406 Tel (810) 270-5599 Fax (810) 270-5599	7330 Chapel Hill Rd Suite 202 Raleigh, NC 27607 Tel (919) 858-7622 Fax (919) 858-7423	40 Little Rd Zieglerville, PA 19402 Tel (610) 287-3194	1617 JFK Blvd Suite 1705 Philadelphia, PA 19103 Tel (215) 496-9237 Fax (215) 496-9280					1 & 27	
								Approved: Project Director	
Revisions				Date		1111 EAST END BLVD, WILKES-BARRE, PA 18711	AE-141		
						Date	Checked	Drawn	Dwg. 14 of 79
						04/17/2013	WJ	EN	