



AUXILIARY PLAN KEYNOTES


1. PROVIDE CONNECTION TO EXISTING PAGING SYSTEM.
2. COORDINATE CEILING REMOVAL AND REPLACEMENT WITH G.C. PRIOR TO ANY WORK BEING DONE FOR ROUTING OF CONDUITS.
3. PROVIDE A 12" W X 12" D X 36" PULL BOX WITH SCREW-ON COVER. PROVIDE LABELING.
4. EXISTING WALL PHONE JACK TO REMAIN AS IS.



1F 1ST FLOOR AUXILIARY PLAN  
1/8" = 1'-0"



6E GROUND FLOOR AUXILIARY PLAN  
1/16" = 1'-0"



FULLY SPRINKLERED  
100% CONSTRUCTION DOCUMENTS

<div>MARK</div> <div>REVISION DESCRIPTION</div> <div>DATE</div>			<div>CONSULTANTS:</div>		<div><div><div>TEAR SHEET PROFESSIONAL JOURNAL</div><div>REG. NO.</div><div>5376</div><div>CHARLES J. JAMISON</div><div>ARCHITECT</div><div>8/06/2012</div></div><div><div><div><div></div><div></div><div></div></div><div></div></div></div></div>	<div>ARCHITECTS/ ENGINEERS:</div>		<div>Drawing Title</div> <div>1ST FLOOR AUXILIARY PLAN</div>		<div>Project Title</div> <div>Sioux Falls VA Health Care System Acute Inpatient Medical Unit Addition and Renovation</div>		<div>Project Number</div> <div>04100857</div>		<div>Office of Construction and Facilities Management</div>	
			<div>TSP, Inc. 1112 N. West Ave. Sioux Falls, SD 57104  phone: (605) 336-1160 fax: (605) 336-7926 www.teamtsp.com</div> <div><div><div>TSP</div><div>To Solve. To Excel. Together.</div></div></div>			<div>Approved: Project Director</div>		<div>Location</div> <div>VA Medical Center 2801 W. 22nd Street, PO Box 5046 Sioux Falls, SD 57117-5046</div>		<div>Drawing Number</div> <div>5-EY101</div> <div>Dwg. 112 of 123</div>					
								<div>Date</div> <div>08/06/2012</div>		<div>Checked</div> <div>MJJ</div>		<div>Drawn</div> <div>KAK</div>		<div>Department of Veterans Affairs</div>	