

- REFLECTED CEILING PLAN LEGEND**
- FULL HEIGHT METAL STUD @ 16" O.C. U.N.O. WITH SOUND BATT. INSULATION AND FINISHES FULL HEIGHT FROM FINISH FLOOR TO DECK ABOVE. REFER TO DETAIL 6, 7 & 8/AS906.
  - PARTIAL HEIGHT METAL STUD @ 16" O.C. U.N.O. WITH SOUND BATT. INSULATION AND FINISHES FROM FINISH FLOOR TO 2" ABOVE FINISH CEILING. REFER TO DETAIL 5/AS906.
  - (E) METAL STUD WALL WITH SOUND BATT. INSULATION. WALL AND FINISHES FULL HEIGHT FROM FINISH FLOOR TO DECK ABOVE. REPLACE FINISHES WHERE NOTED.
  - (E) METAL STUD WALL WITH THERMAL INSULATION. WALL AND FINISHES FULL HEIGHT FROM FINISH FLOOR TO DECK ABOVE. REPLACE FINISHES WHERE NOTED.
  - (E) FULL HEIGHT STRUCTURAL CONCRETE WALL.
  - (E) METAL STUD WALL WITH SOUND BATT. INSULATION. WALL AND FINISHES PARTIAL HEIGHT. REPLACE FINISHES WHERE NOTED.
  - 1 HR FIRE BARRIER. WALL AND FINISHES FULL HEIGHT FROM FLOOR TO DECK ABOVE.
  - (E) 2 HR FIRE BARRIER. WALL AND FINISHES FULL HEIGHT FROM FLOOR TO DECK ABOVE.
  - CEMENT PLASTER. REFER TO SHEET AS911.
  - SUSPENDED GYPSUM WALLBOARD CEILING. REFER TO SHEET AS911.
  - SUSPENDED T-BAR ACOUSTICAL CEILING WITH 2'-0" x 2'-0" INFILL PANELS. REFER TO SHEET AS911.
  - CONCRETE FLOOR ABOVE. REFER TO STRUCTURAL DRAWINGS.
  - LIGHT FIXTURES. REFER TO ELECTRICAL DRAWINGS FOR FIXTURE TYPES.
  - HVAC DIFFUSERS. REFER TO MECHANICAL DRAWINGS FOR DIFFUSER TYPES.
  - LINEAR DIFFUSER. TITUS FLOWBAR OR EQUAL. REFER TO MECHANICAL.
  - FIRE SPRINKLER HEAD LOCATION AT AUDITORIUM. REFER TO FIRE PROTECTION DRAWINGS FOR TYPE. REFER TO FIRE PROTECTION DRAWINGS FOR SPRINKLER HEAD LOCATIONS THROUGHOUT REMAINDER OF BUILDING.
  - CEILING ACCESS PANEL. ALSO INDICATES DIRECTION OF DOOR SWING. SEE DETAIL 6/AS911.
  - EXIT SIGN. SOLID LINES INDICATES THE LOCATIONS OF ILLUMINATION WITH EXIT DIRECTIONAL ARROW. REFER TO ELECTRICAL DRAWINGS FOR FIXTURE TYPES.
  - (E) SUSPENDED GYP. WALL BOARD CEILING TO REMAIN. PAINT.


- REFLECTED CEILING PLAN - REMODEL KEYNOTES**
- EXISTING SKYLIGHT AND SLOPING CEMENT PLASTER SOFFIT TO REMAIN. TYPICAL OF 7. PAINT CEMENT PLASTER.
  - (E) SUNSCREEN TO REMAIN. U.N.O. REMOVE DEBRIS AND CLEAN VIA POWER WASH.
  - DECORATIVE PANEL CEILING. (OMIT DECORATIVE PANEL CEILING AT DEDUCTIVE ALTERNATE 4)
  - (E) CEILING HVAC DIFFUSERS, LIGHTING & ELECTRICAL DEVICES TO REMAIN, TYP.
  - CEMENT PLASTER SOFFIT PAINT
  - (E) CEMENT PLASTER TRELLIS, PAINT
  - (E) GYPSUM BOARD CEILING, PAINT.
  - PROJECTOR MOUNT. SEE ELECTRICAL DRAWINGS.

AUDITORIUM REFLECTED CEILING PLAN  
DEDUCTIVE ALTERNATE 4  
1/8" = 1'-0"

REMODELED FIRST FLOOR REFLECTED CEILING PLAN  
1/8" = 1'-0"

Revisions	Date

CONSULTANTS:	07/22/13 07/25/13



**ARCHITECT/ENGINEERS:**

**HMC Architects**

1827 E. Fir Avenue, Studio 103 / Fresno, CA 93720  
T 559 322 2444 / www.hmcarchitects.com

Drawing Title	FIRST FLOOR REFLECTED CEILING PLAN
Approved Project Director	

Project Title	BUILDING 24 SEISMIC CORRECTION AND ADDITION
Location	VAMC FRESNO, CA
Date	March 12, 2013
Checked	BB
Drawn	CLO

Project Number	570-215
Building Number	24
Drawing Number	AS301
Dwg. 49 of 176	

Office of Construction and Facilities Management  
Department of Veterans Affairs