

(B4) Column line associated with Building 15E

All work associated with Phase II as outlined by the Phasing Key Plan Drawing GI-103.

- Asbestos Containing roof flashing associated with the removal of existing rooftop air handling unit and all associated ductwork, piping and control connections. Asbestos-containing materials (ACM) flashing to be removed around perimeter of air handling unit.
- Asbestos Containing roof flashing associated with the removal of the existing fan. ACM flashing to be removed around perimeter of fan unit.

Please note that all asbestos abatement operations are to follow the regulations and guidelines established in Specification 028213.21 Asbestos Roofing Abatement, and NY Code 56 Section 7.5.

Contractor responsible to provide temporary roof to prevent water damage.


First floor data/communication roof penetration should be assumed to have asbestos containing flashing; however, area was not evaluated by NY State Inspector.

ASBESTOS ABATEMENT GENERAL NOTES:

- Asbestos Abatement Contractor is to follow VA/ICRA Regulations in performing all work.
- Reference the architectural and MEP engineering drawings for phasing coordination.
- Asbestos Abatement Contractor is to coordinate with the VA for off-hours access to the floors above and below the work needed.
- Follow all Fire Safety Codes during abatement.
- The Asbestos Abatement Contractor to provide VA 15 calendar days notice of any work to be performed off-hours.
- Asbestos Abatement Contractor to coordinate all phases of abatement with owner and provide work schedule.
- Prior to the start of exterior abatement, isolate all HVAC systems from interior of the building.
- Vacuum work area with HEPA filtered vacuums daily or more frequently as needed to minimize dust generation.
- Contractor shall maintain temporary life safety devices within the construction site throughout the duration of the project as directed by the VA COTR and VA Safety Office.
-

Laurence C. Smith
Laurence Smith
Certified Industrial
Hygienist/Certified Safety
Professional

John-Paul Rossi
John-Paul Rossi
State of New York Inspector and Project Designer
NY DOL Certification #11-18820



FULLY SPRINKLERED

Revisions:	Date

Architect/Engineer:

willow
Architecture
SERVICE DISABLED VETERAN OWNED SMALL BUSINESS

Seal:

Drawing Title	Building 15E Exterior Asbestos Abatement Drawing (First Floor Urgent Care Roof)
Scale	1/8" = 1' 0"
Issued For	Final Contract Documents

Project Title	Expand and Renovate Urgent Care Area - 15E at Castle Point
Building Number	15
Checked	JPR
Drawn	ADS
Location	100 Route 9D Castle Point, NY 12511

Date	March 22, 2013
Project No.	620-332
Drawing No.	HA102