



1 Roof Drain Detail
6" = 1'-0"




2 VTR Detail
1 1/2" = 1'-0"



3 EPDM Corner Detail
3" = 1'-0"

(Basis of design)


Provide required fastening pattern for insulation on a 30yr manufacturers warranty adhered roofing system.



4 Insulation Fastening Detail
1/2" = 1'-0"

NOTES:


1. INSTALL .045 FULLY ADHERED White EPDM (20 YEAR WARRANTY)
2. HOLE IN MEMBRANE SHOULD EXTEND A MINIMUM OF 1/2" (12.7 mm) BEYOND CLAMPING RING AND SHOULD NOT BE SMALLER THAN THE DIAMETER OF THE LEADER PIPE.
3. INSULATION ADJACENT TO DRAIN TO BE APPROPRIATE MANUFACTURER INSULATION WITH APPROPRIATE BONDING SURFACE.
4. MANUFACTURER'S WATERBLOCK MIN. OF 1/2 OF 10 OZ (295 ml) TUBE PER 4" DRAIN. USE ADDITIONAL WATERBLOCK FOR LARGER DRAINS.
5. IN REROOF APPLICATIONS:
 - REMOVE EXISTING FLASHING DOWN TO METAL BOWL
 - REPAIR OR REPLACE BROKEN DRAIN COMPONENTS
 - DRILL AND TAP BROKEN DRAIN BOLTS AND REPLACE IF NECESSARY.




NOTES:

1. Apply on hard smooth surface only; Not for use on wood.
2. Water cut-off mastic must be held under constant compression.
3. Do not wrap compression termination around corners.


5 Vertical Flashing Reglet Termination
6" = 1'-0"




6 Wall Flashing with Continuous EPDM Membrane
6" = 1'-0"



7 Curb Flashing
3" = 1'-0"




8 Fascia Detail
1 1/2" = 1'-0"




NOTES:


1. A 4.5"x6" (115x150MM) and a 9"x12" (230x300MM) piece of pressure-sensitive incured flashing must be centered over the field splice at angle change
2. Seal all edges with lap sealant as shown above
3. Locate termination above anticipated water level.
4. For corner applications, see Details (x3A-15A, x3A-15B and x3A-15C)




11 Exterior Signage Details
1" = 1'-0"





12 Typical Pitch Pocket Detail
3" = 1'-0"



9 Roof Catwalk Detail
3/4" = 1'-0"



10 Terracotta Panel End Detail
1 1/2" = 1'-0"



13 Roof Curb Detail
3" = 1'-0"

AMBULANCE Main Entrance

FULLY SPRINKLERED

Revisions:	Date

Architect/Engineer:	Seal:
willow design Architecture SERVICE DISABLED VETERAN OWNED SMALL BUSINESS	

Drawing Title Exterior Details	Project Title Expand and Renovate Urgent Care Area - 15E at Castle Point	Date March 22, 2013
Scale As Noted	Building Number 15	Checked Author
Issued For Final Contract Documents	Location 100 Route 9D Castle Point, NY 12511	Drawing No. AE-501