



KEY NOTES

① DEMOFILL IN STAINLESS STEEL TAMBOR WINDOW	⑮ DEMO WALLDORR; RELOCATE LIGHT SWITCH AND PHONE OUTLET/ADD SOFFIT
② INSTALL NEW STORE FRONT DOORS	⑯ ADD "EXIT" SIGN AT DOOR
③ INSTALL PORCELAIN TILE ON ELEVATOR WALL AND COLUMNS TO MATCH 1ST FLOOR	⑰ PROVIDE AND INSTALL CUSTOM DIGITAL WALLCOVERING 1" CARE" MURAL
④ INSTALL WALL SCONCES AND ADD WALL WASH LIGHTING	⑱ REPAIR DIMPLES IN WALL FROM OLD FASTENERS
⑤ REPLACE CEILING TILE AND GRID TO MATCH BUILDING STANDARD	⑲ ADD KICK PLATE TO EXISTING DOORS
⑥ REPLACE X24 CEILING LIGHTS TO MATCH BUILDING STANDARD	⑳ ADD WOOD PANELIZED SYSTEM W/EXTRUDED ALUMINUM REVEALS
⑦ INSTALL CONTROL JUNK AT EVERY CORR CORRIDOR AND WHERE CRACK IS EVIDENT APPROX 10	㉑ REPLACE DOOR TO MATCH BUILDING STANDARD
⑧ REPLACE/REFURBISH FLOOR EXPANSION JOINTS AS NEEDED APPROX 7	㉒ INSTALL NEW CEILING/DIFFUSER/2 ADDITIONAL CEILING LIGHTS TO MATCH BUILDING STANDARD
⑨ INSTALL SOLID VINYL FLOORING; FINISH & PATTERN TBD WITH 4" JOHNSONITE MILLWORK BASE	㉓ MESH/PARGE BLOCK; BUILD OUT TO ENCASE EXPOSED PIPE
⑩ INSTALL ARMOUR PLATE ON EXISTING DOOR	㉔ WRAP COLUMNS WITH HIGH IMPACT WALL PANELS AND CORNER GUARDS
⑪ GRIND EXISTING FLOOR, SHOT BLAST, REFINISH CONCRETE WITH SLIP RESISTANCE SURFACE I.E. TMECC	㉕ MESH/PARGE BLOCK WALL/FINISH FOR PAINT
⑫ REMOVE CORRIDOR WALLS AS SHOWN/INSTALL CURVED SOFFIT/LIGHTS/CLERK WINDOW WITH TRANSACTION COUNTER WRAP COLUMNS WITH DW/PCG/SCONCES; RELOCATE AUTOMATIC DOOR OPENER	㉖ REMOVE PIPE/INSTALL 84" FR STEEL DOOR WITH STAINLESS STEEL EDGE PROTECTION
⑬ ENCASE SPRINKLER FIRE RISER PIPE AS COLUMN WITH ACCESS DOOR	㉗ REFINISH EXISTING DOOR & REPLACE HARDWARE
⑭ DEMO WALLDORR; DOOR STORE FRONT ASSEMBLY AND AUTOMATIC DOOR WITH HEADER; WRAPPED COLUMNS WITH DW/PCG/SCONCES	㉘ REPLACE DOOR AND HARDWARE WITH STEEL FIRE RATED DOOR
	㉙ REPLACE DRINKING FOUNTAIN WITH LOW PROFILE FOUNTAIN
	㉚ INSTALL HALF WALL WITH ACRYLIC PANEL (3-FORM) PANEL ABOVE

[illegible]

Project Title: Halls and Walls Ph 5				Date: 2/27/13	
Drawing Title: Building 3 Ground Floor				Project No.: 626A4-11-102	
Approved By: _____					
Reviewed By: _____		Location: _____			
Building Number: _____		Floor: _____		DRAWING NO. _____	
Checked By: _____		Drawn By: Jackson		Desk _____	

Veterans Affairs