


NASHVILLE SPECIFIC GENERAL NOTES

- A. ALL MATERIAL TRANSITIONS SHALL BE AT CENTERLINE OF DOOR.
- B. ABATE VCT AND MASTIC WHERE FLOORING IS BEING REPLACED
- C. PREP AND SKIM FLOORS PRIOR TO FLOORING INSTALLATION
- D. FIELD VERIFY ALL FLOOR PLANS TO ENSURE ACCURACY
- E. VERIFY WITH VA COR ALL CONCEPT FLOOR PATTERNS AND FINISH LOCATIONS DURING THE DESIGN PHASE. PERCENTAGES AND QUANTITIES OF FLOORING ON FINISH PLAN AND FLOOR PATTERN REFLECT COMPLEXITY
- F. CLEAN AND REPAIR EXISTING BUILDING STANDARD HANDRAILS/BUMPER GUARDS TYPICAL
- G. CLEAN CEILING GRID AND REPLACE MISMATCHED CEILING TILE TO MATCH BLDG STANDARD TYPICAL
- H. REPLACE MISMATCHED LAMPS IN CORRIDOR LIGHTING FIXTURES TO MATCH FACILITY STANDARD LAMP COLOR TYPICAL

LEGEND




= AREA OF CONSTRUCTION

| Revisions | Date |
|-----------|------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |



Tennessee Valley Healthcare System



SCALE: $\frac{1}{16}'' = 1'-0''$

| | | | |
|------------------|---------------------------------------|--------------|------------|
| Project Title: | Halls and Walls Ph 5 | Date: | 3-20-13 |
| Drawing Title: | NA General Notes/Area of Construction | Project No.: | 626-13-101 |
| Approved By: | | Checked By: | |
| Building Number: | | Floor: | |
| Checked By: | SS | Drawn By: | MW |
| Dwg. No.: | 2 | Of: | 5 |

Department of
Veterans Affairs